
Internal Mix Talon Gun Manual

This manual is applicable to the following models:

- TLN-IC-100
- TLN-IC-200
- TLN-IFC-100
- TLN-IFC-200
- TLN-IG-100
- TLN-IG-200





CORPORATE HEADQUARTERS 2030 Falling Waters Rd, Suite 350, Knoxville, TN 37922 · USA · Tel: (865) 686-5670

DISTRIBUTION AND PURCHASING 642 Barbrow Ln, Knoxville, TN 37932 · USA · Tel: (865) 684-4416

TECHNOLOGY CENTER AND MANUFACTURING
1862 Ives Ave, Kent, WA 98032 · USA · Tel (253) 854-2660 · Fax (253) 854-1666

E-mail: info@mvpind.com

For a list of international distributors, visit our website at:

www.mvpind.com/mvp-international

Use of this product confirms that Magnum Venus Products, Inc.'s standard terms and conditions of sale apply.



▲ Table of Contents

Section	Page
Table of Contents	3
 Safety & Warning Information 	4
• Introduction	15
Disassembling Gun	17
Reassembling Components	23
Selecting Chopper	24
 Troubleshooting 	26
Parts Drawings	29



Safety & Warning Information

Warnings 4

Due to the vast number of chemicals that could be used and their varying chemical reactions, the buyer and user of this equipment should determine all factors relating to the fluids used, including any of the potential hazards involved. Particular inquiry and investigation should be made into potential dangers relating to toxic fumes, fires, explosions, reaction times, and exposure of human beings to the individual components or their resultant mixtures. MVP assumes no responsibility for loss, damage, expense or claims for bodily injury or property damage, direct or consequential, arising from the use of such chemical components.

The end user is responsible for ensuring that the end product or system complies with all the relevant laws in the country where it is to be used and that all documentation is adhered to.

Recommended Occupational Safety & Health Act (OSHA) Documentation:

1910.94 Pertaining to ventilation Pertaining to flammable liquids 1910.106 Pertaining to spray finishing operations, particularly paragraph (m), 1910.107 Organic Peroxides and Dual Component Coatings

For Additional information, contact the Occupational Safety and Health Administration (OSHA) at https://www.osha.gov/about.html.

Recommended National Fire Protection Association (NFPA) Documentation:

Organic Peroxides and Dual Component Materials NFPA No.33 Chapter 14 NFPA No. 63 **Dust Explosion Prevention** National Electrical Code NFPA No. 70 Static Electricity NFPA No. 77 Blower and Exhaust System NFPA No. 91 Plastics Industry Dust Hazards NFPA No. 654

Fire Extinguisher – code ABC, rating number 4a60bc using Extinguishing Media –Foam, Carbon Dioxide, Dry Chemical, Water Fog, is recommended for this product and applications.

The following general warnings and guidelines are for the setup, use, grounding, maintenance, and repair of equipment. Additional product-specific warnings may be found throughout this manual as applicable. Please contact your nearest MVP Technical Service Representative if additional information is needed.



Safety Precautions

- Avoid skin contact and inhalation of all chemicals.
- Review Material Safety Data Sheet (MSDS) to promote the safe handling of chemicals in
- Restrict the use of all chemicals to designated areas with good ventilation.
- Chemicals are flammable and reactive.
- Noxious fumes released when combusted.
- Operate equipment in a ventilated environment only.
- Uncured liquid resins are highly flammable unless specifically labeled otherwise.
- Cured laminate, accumulations of overspray, and laminate sandings are highly combustible.
- Do not operate or move electrical equipment when flammable fumes are present.
- Ground all equipment.
- If a spark is seen or felt, immediately halt operation. Do not operate the equipment until the issue has been identified and repaired.
- Contaminated catalyst may cause fire or explosion.
- Containers may explode if exposed to fire / heat.
- Use and store chemicals away from heat, flames, and sparks.
- Do not smoke in work areas or near stored chemicals.
- Do not mix Methyl Ethyl Ketone Peroxide (MEKP) with materials other than polyethylene.
- Do not dilute MEKP.
- Keep food and drink away from work area.



CORROSIVE



FLAMMABLE



GROUNDING



EXPLOSIVE



DANGER



DANGER



Physical Hazards

- Never look directly into the spray gun fluid tip. Serious injury or death can result.
- Never aim the spray gun at or near another person. Serious injury or death can result.
- Chemical compounds can be severely irritating to the eyes and skin.
- Inhalation, ingestion, or injection may damage internal organs and lead to pulmonary disorders, cancers, lymphomas, and other diseases or health conditions.
- Other potential health effects include: irritation of the eyes and upper respiratory tract, headache, light-headedness, dizziness, confusion, drowsiness, nausea, vomiting, and occasionally abdominal pain.
- Eye contact: Immediately flush with water for at least 15 minutes and seek immediate medical attention.
- Skin Contact: Immediately wash with soap and water and seek immediate medical attention.
- Inhalation: Move the person to fresh air and seek immediate medical attention.
- Do not remove shields, covers, or safety features on equipment that is in use.
- Never place fingers, hands, or any body part near or directly in front of the spray gun fluid tip. The force of the liquid as it exits the spray tip can shoot liquid through the skin.
- Keep hands and body parts away from any moving equipment or components.
- Do not stand under plunger
- An improperly loaded drum may lead to an imbalance, causing a unit to tip over





Personal Protective Equipment (PPE)

- MVP recommends the use of personal safety equipment with all products in our catalog.
- Wear safety goggles, hearing protection, a respirator, and chemical resistant gloves.
- Wear long sleeve shirts or jackets and pants to minimize skin exposure.
- PPE should be worn by operators and service technicians to reduce the risk of injury.



For Additional information, contact the Occupational Safety and Health Administration (OSHA). https://www.osha.gov/about.html



Symbol Definitions



Indicates the risk of contact with chemicals that are hazardous, which may lead to injury or death.



Indicates the risk of contact with voltage / amperage that may lead to serious injury or death



Indicates that the materials being used are susceptible to combustion



Indicates the risk of contact with moving components that may lead to serious injury or death.



Indicates that the system or component should be grounded before proceeding with use or repair.



Indicates the use of lit cigarettes or cigars is prohibited, because the materials being used are susceptible to combustion.



Indicates that the materials and/or the process being performed can lead to ignition and explosion.



A recommendation for the use of Personal Protective Equipment (PPE) before using or repairing the product.



Polymer Matrix Materials: Advanced Composites

Potential health hazards associated with the use of advanced composites can be controlled through the implementation of an effective industrial hygiene and safety program.

https://www.osha.gov/dts/osta/otm/otm_iii/otm_iii_1.html#t iii:1_1

Resins		
Composite Component	Organ System Target	Known (Possible) Health Effect
	(Possible Target)	
Epoxy resins	Skin, lungs, eyes	Contact and allergic dermatitis,
грому геото	Orani, rango, oyoo	conjunctivitis
Polyurethane resins	Lungs, skin, eyes	Respiratory sensitization, contact
-		dermatitis, conjunctivitis
Phenol formaldehyde	Skin, lungs, eyes	As above (potential carcinogen)
Bismaleimides (BMI)	Skin, lungs, eyes	As above (potential carcinogen)
Polyamides	Skin, lungs, eyes	As above (potential carcinogen)
Reinforcing materials		
Composite Component	Organ System Target	Known (Possible) Health Effect
	(Possible Target)	
Aramid fibers	Skin (lungs)	Skin and respiratory irritation, contact
Aramid fibers	OKIII (luligs)	dermatitis (chronic interstitial lung disease)
Carbon/graphite fibers	Skin (lungs)	As noted for aramid fibers
Glass fibers (continuous	Skin (lungs)	As noted for aramid fibers
filament)	Oran (lange)	
Hardeners and curing agents		
Composite Component	Organ System Target	Known (Possible) Health Effect
	(Possible Target)	
Diaminodiphenylsulfone	N/A	No known effects with workplace
Diaminodiphenyisunone	14/74	exposure
Methylenedianiline	Liver, skin	Hepatotoxicity, suspect human carcinogen
Other aromatic amines		
Composite Component	Organ System Target	Known (Possible) Health Effect
	(Possible Target)	
Meta-phenylenediamine (MPDA)	Liver, skin (kidney,	Hepatitis, contact dermatitis (kidney and
Meta-prierryleriediamine (ivii DA)	bladder)	bladder cancer)
Aliphatic andcyclo-aliphatic	Eyes, skin	Severe irritation, contact dermatitis
amines		
Polyaminoamide	Eyes, skin	Irritation (sensitization)
Anhydride	Eyes, lungs, skin	Severe eye and skin irritation, respiratory
,		sensitization, contact dermatitis



Catalyst - Methyl Ethyl Ketone Peroxide (MEKP)

MEKP is among the more hazardous materials found in commercial channels. The safe handling of the "unstable (reactive)" chemicals presents a definite challenge to the plastics industry. The highly reactive property which makes MEKP valuable to the plastics industry in producing the curing reaction of polyester resins also produces the hazards which require great care and caution in its storage, transportation, handling, processing and disposal. MEKP is a single chemical. Various polymeric forms may exist which are more or less hazardous with respect to each other. These differences may arise not only from different molecular structures (all are, nevertheless, called "MEKP") and from possible trace impurities left from the manufacture of the chemicals, but may also arise by contamination of MEKP with other materials in its storage or use. Even a small amount of contamination with acetone, for instance, may produce an extremely shock-sensitive and explosive compound.



WARNING

Contamination with promoters, materials containing promoters (such as laminate sandings), or with any readily oxidizing material (such as brass or iron) will cause exothermic redox reactions which can be explosive in nature. Heat applied to MEKP or heat buildup from contamination reactions can cause the material to reach its Self-Accelerating Decomposition Temperature (SADT).

Researchers have reported measuring pressure rates-of-rise well over 100,000 psi per second when certain MEKP's reach their SADT. For comparison, the highest-pressure rate-of-rise listed in NFPA Bulletin NO.68, "Explosion Venting", is 12,000 psi per second for an explosion of 12% acetylene and air. The maximum value listed for a hydrogen explosion is 10,000 psi per second. Some forms of MEKP, if allowed to reach their SADT, will burst even an open topped container. This suggests that it is not possible to design a relief valve to vent this order of magnitude of pressure rate-of-rise. The user should be aware that any closed container, be it a pressure vessel, surge chamber, or pressure accumulator, could explode under certain conditions. There is no engineering substitute for care by the user in handling organic peroxide catalysts. If, at any time, the pressure relieve valve on top of the catalyst tank should vent, the area should be evacuated at once and the fire department called. The venting could be the first indication of a heat, and therefore, pressure build-up that could eventually lead to an explosion. Moreover, if a catalyst tank is sufficiently full when the pressure relief valve vents, some catalyst may spray out, which could cause eye injury. For this reason, and many others, anyone whose job puts them in an area where this vented spray might go, should always wear full eye protection even when laminating operations are not taking place.

Safety in handling MEKP depends to a great extent on employee education, proper safety instructions, and safe use of the chemicals and equipment. Workers should be thoroughly informed of the hazards that may result from improper handling of MEKP, especially regarding contamination, heat, friction and impact. They should be thoroughly instructed regarding the proper action to be taken in the storage, use, and disposal of MEKP and other hazardous materials used in the laminating operation. In addition, users should make every effort to:

- Store MEKP in a cool, dry place in original containers away from direct sunlight and away from other chemicals.
- Keep MEKP away from heat, sparks, and open flames.
- Prevent contamination or MEKP with other materials, including polyester over spray and sandings, polymerization accelerators and promoters, brass, aluminum, and non-stainless steels.



- Never add MEKP to anything that is hot, since explosive decomposition may result.
- Avoid contact with skin, eyes, and clothing. Protective equipment should be worn at all times. During clean-up of spilled MEKP, personal safety equipment, gloves, and eye protection must be worn. Firefighting equipment should be at hand and ready.
- Avoid spillage, which can heat up to the point of self-ignition.
- Repair any leaks discovered in the catalyst system immediately, and clean-up the leaked catalyst at once in accordance with the catalyst manufacturer's instructions.
- Use only original equipment or equivalent parts from Magnum Venus Products in the catalyst system (i.e.: hoses, fitting, etc.) because a dangerous chemical reaction may result between substituted parts and MEKP.
- Catalyst accumulated from the purging of hoses or the measurement of fluid output deliveries should never be returned to the supply tank, such catalyst should be diluted with copious quantities of clean water and disposed of in accordance with the catalyst manufacturer's instructions.

The extent to which the user is successful in accomplishing these ends and any additional recommendations by the catalyst manufacturer determines largely the safety that will be present in his operation.

Clean-Up Solvents and Resin Diluents



WARNING

A hazardous situation may be present in your pressurized fluid system! Hydro carbon solvents can cause an explosion when used with aluminum or galvanized components in a closed (pressurized) fluid system (pump, heaters, filters, valves, spray guns, tanks, etc.). An explosion could cause serious injury, death, and/or substantial property damage. Cleaning agents, coatings, paints, etc. may contain Halogenated Hyrdrocarbon solvents. Some Magnum Venus Products spray equipment includes aluminum or galvanized components and will be affected by Halogenated Hydrocarbon solvents.

There are three key elements to the Halogenated Hyrdocarbon (HHC) solvent hazard.

- 1. The presence of HHC solvents.
- Aluminum or Galvanized Parts.
- 3. Equipment capable of withstanding pressure.
- 1,1,1 Trichloroethane and Methylene Chloride are the most common of these solvents. However, other HHC solvents are suspect if used; either as part of paint or adhesives formulation, or for clean-up flushing. Most handling equipment contains these elements. In contact with these metals, HHC solvents could generate a corrosive reaction of a catalytic nature.
- When HHC solvent contact aluminum or galvanized parts inside a closed container such as a pump, spray gun, or fluid handling system, the chemical reaction can, over time, result in a build-up of heat and pressure, which can reach explosive proportions. When all three elements are present, the result can be an extremely violent explosion. The reaction can be sustained with very little aluminum or galvanized metal; any amount of aluminum is too much.



- The reaction is unpredictable. Prior use of an HHC solvent without incident (corrosion or explosion) does NOT mean that such use is safe. These solvents can be dangerous alone (as a clean-up or flushing agent) or when used as a component or a coating material. There is no known inhibitor that is effective under all circumstances. Mixing HHC solvents with other materials or solvents such as MEKP, alcohol, or toluene may render the inhibitors ineffective.
- The use of reclaimed solvents is particularly hazardous. Reclaimers may not add any inhibitors. The possible presence of water in reclaimed solvents could also feed the reaction.
- Anodized or other oxide coatings cannot be relied upon to prevent the explosive reaction. Such
 coatings can be worn, cracked, scratched, or too thin to prevent contact. There is no known way
 to make oxide coatings or to employ aluminum alloys to safely prevent the chemical reaction
 under all circumstances.
- Several solvent suppliers have recently begun promoting HHC solvents for use in coating systems. The increasing use of HHC solvents is increasing the risk. Because of their exemption from many state implementation plans as Volatile Organic Compounds (VOCs), their low flammability hazard, and their not being classified as toxic or carcinogenic substances, HHC solvents are very desirable in many respects.



WARNING

Do not use Halogenated Hydrocarbon (HHC) solvents in pressurized fluid systems having aluminum or galvanized wetted parts.

Magnum Venus Products is aware of NO stabilizers available to prevent HHC solvents from reaction under all conditions with aluminum components in closed fluid systems. HHC solvents are dangerous when used with aluminum components in a closed fluid system.

- Consult your material supplier to determine whether your solvent or coating contains Halogenated Hydrocarbon solvents.
- Magnum Venus Products recommends that you contact your solvent supplier regarding the best non-flammable clean-up solvent with the heat toxicity for your application.
- If, however, you find it necessary to use flammable solvents, they must be kept in approved, electrically grounded containers.
- Bulk solvent should be stored in a well-ventilated, separate building, 50 feet away from your main plant.
- You should only allow enough solvent for one day's use in your laminating area.
- NO SMOKING signs must be posted and observed in all areas of storage or where solvents and other flammable materials are used.
- Adequate ventilation (as covered in OSHA Section 1910.94 and NFPA No.91) is important wherever solvents are stored or used, to minimize, confine and exhaust the solvent vapors.
- Solvents should be handled in accordance with OSHA Section 1910.106 and 1910.107.



Catalyst Diluents

Magnum Venus Products spray-up and gel-coat systems currently produced are designed so that catalyst diluents are not required. Magnum Venus Products therefore recommends that diluents not be used to avoid possible contamination which could lead to an explosion due to the handling and mixing of MEKP and diluents. In addition, it eliminates any problems from the diluent being contaminated through rust particles in drums, poor quality control on the part of the diluents suppliers, or any other reason. If diluents are absolutely required, contact your catalyst supplier and follow his instructions explicitly. Preferably the supplier should premix the catalyst to prevent possible "on the job" contamination while mixing.



WARNING

If diluents are not used, remember that catalyst spillage and gun, hose, and packing leaks are potentially more hazardous since each drop contains a higher concentration of catalyst and will therefore react more quickly with overspray and the leak.

Cured Laminate, Overspray and Laminate Sandings Accumulation

- Remove all accumulations of overspray, Fiberglass Reinforced Plastic (FRP) sandings, etc. from the building as they occur. If this waste is allowed to build up, spillage of catalyst is more likely to start a fire; in addition, the fire would burn hotter and longer.
- Floor coverings, if used, should be non-combustible.
- Spilled or leaked catalyst may cause a fire if it comes in contact with an FRP product, oversprayed chop or resin, FRP sandings or any other material with MEKP.

To prevent spillage and leakage, you should:

the hoses at any point.

1.	Maintain your Magnum Venus	Check the gun several times daily for catalyst and
	Products System.	resin packing or valve leaks. REPAIR ALL LEAKS
		IMMEDIATELY.
2.	Never leave the gun hanging over	A catalyst leak in this situation would certainly
	or lying inside the mold.	damage the part, possibly the mold, and may cause
		a fire.
3.	Inspect resin and catalyst hoses	Replace if wear or weakness is evident or
	daily for wear or stress at the entry	suspected.
	and exits of the boom sections and	
	at the hose and fittings.	
4.	Arrange the hoses and fiberglass	If allowed to rub, the hose will be cut through,
	roving guides so that the fiberglass	causing a hazardous leakage of material which
	strands DO NOT rub against any of	could increase the danger of fire. Also, the material

may spew onto personnel in the area.



Toxicity of Chemicals

- Magnum Venus Products recommends that you consult OSHA Sections 1910.94, 1910.106, 1910.107 and NFPA No.33, Chapter 14, and NFPA No.91.
- Contact your chemical supplier(s) and determine the toxicity of the various chemicals used as well as the best methods to prevent injury, irritation and danger to personnel.
- Also determine the best methods of first aid treatment for each chemical used in your plant.

Equipment Safety

Magnum Venus Products suggest that personal safety equipment such as EYE GOGGLES, GLOVES, EAR PROTECTION, and RESPIRATORS be worn when servicing or operating this equipment. Ear protection should be worn when operating a fiberglass chopper to protect against hearing loss since noise levels can be as high as 116 dB (decibels). This equipment should only be operated or serviced by technically trained personnel!



CAUTION

Never place fingers, hands, or any body part near or directly in front of the spray gun fluid tip. The force of the liquid as it exits the spray tip can cause serious injury by shooting liquid through the skin. NEVER LOOK DIRECTLY INTO THE GUN SPRAY TIP OR POINT THE GUN AT OR NEAR ANOTHER PERSON OR AN ANIMAL.



DANGER

Contaminated catalyst may cause fire or explosion. Before working on the catalyst pump or catalyst accumulator, wash hands and tools thoroughly. Be sure work area is free from dirt, grease, or resin. Clean catalyst system components with clean water daily.



DANGER

Eye, skin, and respiration hazard. The catalyst MEKP may cause blindness, skin irritation, or breathing difficulty. Keep hands away from face. Keep food and drink away from work area.

Treatment of Chemical Injuries



CAUTION

Refer to your catalyst manufacturer's safety information regarding the safe handling and storage of catalyst. Wear appropriate safety equipment as recommended.

Great care should be used in handling the chemicals (resins, catalyst and solvents) used in polyester systems. Such chemicals should be treated as if they hurt your skin and eyes and as if they are poison to your body. For this reason, Magnum Venus Products recommends the use of protective clothing and eye wear in using polyester systems. However, users should be prepared in the event of such an injury.



Precautions include:

- 1. Know precisely what chemicals you are using and obtain information from your chemical supplier on what to do in the event the chemical gets onto your skin or into the eyes, or if swallowed.
- 2. Keep this information together and easily available so that it may be used by those administering first aid or treating the injured person.
- 3. Be sure the information from your chemical supplier includes instructions on how to treat any toxic effects the chemicals have.



WARNING

Contact your doctor immediately in the event of an injury. If the product's MSDS includes first aid instructions, administer first aid immediately after contacting a doctor.

Fast treatment of the outer skin and eyes that contact chemicals generally includes immediate and thorough washing of the exposed skin and immediate and continuous flushing of the eyes with lots of clean water for at least 15 minutes or more. These general instructions of first aid treatment may be incorrect for some chemicals; you must know the chemicals and treatment before an accident occurs. Treatment for swallowing a chemical frequently depends upon the nature of the chemical.

Emergency Stop Procedure

In an emergency, follow these steps to stop a system:

1. The ball valve located where the air enters the power head of the resin pump, should be moved to the "OFF" or closed position.

Note The "open" or "on" position is when the ball valve handle is parallel (in line) with the ball valve body. The "closed" or "off" position is when the ball valve handle is perpendicular (across) the ball valve body.

- 2. Turn all system regulators to the "OFF" position (counter-clockwise) position.
- 3. Verify / secure the catalyst relief line, located on the catalyst relief valve.
- 4. Verify / secure the resin return line, located on the resin filter.
- 5. Place a container under the resin pump ball valve to catch ejected resin.
- 6. Locate the ball valve on the resin pump.
- 7. Rotate the ball valve 90 degrees to the "On" or open position.

Grounding

Grounding an object means providing an adequate path for the flow of the electrical charge from the object to the ground. An adequate path is one that permits charge to flow from the object fast enough that it will not accumulate to the extent that a spark can be formed. It is not possible to define exactly what will be an adequate path under all conditions since it depends on many variables. In any event, the grounding means should have the lowest possible electrical resistance.



Grounding straps should be installed on all loose conductive objects in the spraying area. This includes material containers and equipment. Magnum Venus Products recommends grounding straps be made of AWG No.18 stranded wire as a minimum and the larger wire be used where possible. NFPA Bulletin No77 states that the electrical resistance of such a leakage path may be as low as 1 meg ohm (10 ohms) but that resistance as high as 10,000 meg ohms will produce an adequate leakage path in some cases.

CAUTION



Whenever flammable or combustible liquids are transferred from one container to another, or from one container to the equipment, both containers or container and equipment shall be effectively bonded and grounded to dissipate static electricity. For further information, see National Fire Protection Association (NFPA) 77, titled "Recommended Practice on Static Electrical". Refer especially to section 7-7 titled "Spray Application of Flammable and Combustible Materials".

Introduction

This manual provides information for the operation, maintenance, and simple repair of the MVP Internal Mix Talon Gun. The following procedures are included:

- Step-by-step assembly and disassembly
- Troubleshooting information



Please read this manual carefully and retain for future reference. Follow the steps in the order given, otherwise you may damage the equipment or injure yourself.

During Disassembly

As you disassemble the equipment, lay out the components on a clean surface in the correct order and direction to aid in reassembly. Reference the current parts drawing for your equipment to assist in assembly and find part numbers if needed.

Required Items

You will need the following tools:

- $\frac{7}{16}$ " socket wrench
- $^{11}/_{16}$ " socket wrench
- Hex wrench/Allen key set
- 8" adjustable wrench
- Flathead screwdriver
- Scribe set

You will need appropriate cleaning materials such as solvent, clean shop towels or rags, a small brush, and empty containers into which you can flush the gun. You will also need the



appropriate seal kit for the gun you have and any parts that may need to be replaced. Refer to the parts drawings for the correct part numbers to order.

Talon Gun Assemblies

This manual covers the following Talon internal mix assemblies:

Choppers	
Part Number	Description
TLN-IC-100-INT	Talon Internal Mix Chop Gun Assembly - International
TLN-IC-100S-INT	Talon Internal Mix Chop Gun Assembly - Signal - International
TLN-IC-200-INT	Talon Internal Mix Chop Gun Assembly - International
TLN-IC-200S-INT	Talon Internal Mix Chop Gun Assembly - Signal - International
Filled Resin Choppers	
Part Number	Description
TLN-IFC-100-INT	Talon Internal Mix Filled Chop Gun Assy - International
TLN-IFC-100S-INT	Talon Internal Mix Filled Chop Gun Assembly - Signal - International
TLN-IFC-200-INT	Talon Internal Mix Filled Chop Gun Assembly - International
TLN-IFC-200S-INT	Talon Internal Mix Filled Chop Gun Assembly – Signal - International
Gelcoater	
Part Number	Description
TLN-IG-100S-INT	Talon Internal Mix Gel Gun Assembly – Signal - International
TLN-IG-200S-INT	Talon Internal Mix Gel Gun Assembly - Signal - International
Wetout	
Part Number	Description
TLN-IW-100-INT	Talon Internal Mix Wetout Gun Assembly - International
TLN-IW-100S-INT	Talon Internal Mix Wetout Gun Assembly - Signal - International
TLN-IW-200-INT	Talon Internal Mix Wetout Gun Assembly - International
TLN-IW-200S-INT	Talon Internal Mix Wetout Gun Assembly – Signal - International
Cartridge Assemblies	
Part Number	Description
TLN-I-CTR-C	Catalyst Cartridge Assembly
TLN-I-CTR-FM	Filled Material Cartridge Assembly
TLN-I-CTR-M	Material Cartridge Assembly
Seal Kits	
Part Number	Description
TLN-IC-F-SK	Seal Kit – FIT Gun (-200 Guns)
TLN-IC-F-SK-INT	Seal Kit - FIT Gun (-200 Guns) - International
TLN-IC-SK	Seal Kit
TLN-IC-SK-INT	Seal Kit - International
Miscellaneous Items	
Part Number	Description
5103-01-01	Catalyst Injector Assembly





Disassembling Gun





WARNING

Always remove air and fluid pressures before disconnecting gun and working on unit.

Remove Rod Seal


- 1. Remove trigger pin and push the trigger assembly forward.
- 2. Use a $\frac{7}{16}$ " wrench to remove the rod seal housing.





Note The material rod will come up with the housing.

3. Remove the rod seal assemblies and housing O-rings.



Note Do not use petroleum based oil or grease on purple O-rings.



Remove Cartridge


4. Remove trigger quick pin and push the trigger assembly forward.

5. Use $\frac{11}{16}$ " wrench to remove cartridge housings.

Note Material rod and catalyst needle will come up with cartridges.

- 6. Use a $\frac{7}{16}$ " wrench to loosen the rod seal housings and remove.
- 7. Remove and clean the ball, ball guide, and spring (replace as needed).
- 8. Remove all old O-rings and seals.
- 9. Lubricate new O-rings and seals and reassemble.

Note Do not use petroleum based oil or grease on purple O-rings.



Trigger Quick Pin


Cartridge Assemblies

The following kits allow for a quick rebuild of the gun, since they include everything other than the ball and spring:

TLN-I-CTR-C (Catalyst Cartridge Assembly)

• O-A-007 O-ring





Catalyst Cartridge Housing

• O-S-011 O-ring

• O-S-013 O-ring

• O-S-015 O-ring

• TLN-1024 Catalyst Valve Body

• TLN-1041 Push Rod

• TLN-2021 Rod Seal Housing

• TLN-2029 Rod Seal Housing

TLN-I-CTR-M (Material Cartridge Assembly)

• O-E-011 O-ring

• O-E-013 O-ring

O-E-015

• TLN-1008-01 Resin Valve Body

• TLN-1036 Push Rod

• TLN-2021 Rod Seal Housing

• TLN-2029 Rod Seal Assembly

TLN-I-CTR-FM (Filled Resin Material Cartridge Assembly)

O-ring

• O-E-011 O-ring

• O-E-013 O-ring

• O-E-015 O-ring

• TLN-1008F-01 Resin Valve Body

TLN-1036-TC Push Rod


• TLN-2021 Rod Seal Housing

• TLN-2029 Rod Seal Assembly

Repair Handle Air Valve

- 10. Remove the cap screws holding the valve cover to the gun handle and remove the valve cover.
- 11. Remove the exhaust ring and 3-way air valve from the handle.
- 12. Clean or replace the air valve as necessary and reassemble.






Repair Front of Gun


- 13. Properly clean and flush the mix chamber and spray tip.
- 14. Unscrew the nozzle cap and remove the spray tip and turbulent mixer.
- 15. Remove the two cap screws and then the mix chamber from the gun block.
- 16. Remove the catalyst injector from the gun block or distribution ring.
- 17. Carefully disassemble, clean, and then reassemble the catalyst injector.
- 18. Remove the mix housing seal and distribution ring from the mix chamber.
- 19. Replace seals and damaged parts (if any) and reassemble.

Chopper Gun Front




The TLN-IC-100 and TLN-IW-100 guns use the FT-XXX or N-XXXXC airless spray tips.

FIT Chopper Gun Front



Note The TLN-IC-200 and TLN-IW-200 guns use the VFIT-XXXX FIT spray tips.

Gelcoat Gun Front



Note The TLN-IG-200 gun uses the VPA-1000-VFIT air assist assembly and VFIT-XXXX spray tips. The TLN-IG-100 gun uses the VPA-1000 air assist and ATG-XXX spray tips.



Mix Housing Options

- Standard Mix Housing (5104-20-1) use with all turbulent mixers and most applications.
- FIT Mix Housing (VPG-1001) use with FIT style spray tips. Uses mixer VPG-1003.
- FIT Low Flow Mix Housing (VPG-1001-1/4) replacement mixer TRT-1018-1/4.
- Ratio Block Pail Dispenser Mix Housing (58735-1) separates material streams.

Distribution Ring Selection

There are three different distribution rings:

- Standard Distribution Ring 5104-17-1 (58607-1) used for most application where outputs are not critical.
- Filled Resin Distribution Ring 5104-18-1 (58701-1) used in applications where the resin is filled above 20%. Use with high filler loads and high outputs.
- Critical Mix Distribution Ring 5104-19-1 (58703-1) use in low output applications where it is important to restrict flow.

Turbulent Mixer Selection

There are two different turbulent mixers in two different materials:

- Standard Turbulent Mixer (5107-27-3) used for most applications where outputs are not critical. Use with chopper and saturator applications.
- Glass Filled Special Turbulent Mixer (5107-27-4) used with abrasive materials and filled resin applications where durability is required.
- Critical Mix Turbulent Mixer (5107-27-2) used for low output applications such as gelcoat. In low flow application the critical mix turbulent mixer works best.
- Glass Filled Critical Mix Turbulent Mixer (5107-27-5) used in low flow applications where the material is abrasive and durability is required.


Disassemble Flush Valve

- 20. Remove the split seal from the flush valve body.
- 21. Remove the flush valve body from the flush valve neck.
- 22. Remove the flush valve seal from the flush valve body.
- 23. Unscrew the flush seal body from the flush valve button.
- 24. Remove the spring.
- 25. Use a scribe to remove the O-ring from the flush valve button.
- 26. Remove the O-ring from the flush seal body.

Note O-ring O-K-008 can be used to replace the more economical O-ring O-E-008.

O-ring O-K-008 is designed for use with all solvents.





Reassembling Components

Assemble Flush Valve

1. Place the replacement O-ring on the flush valve button.

If you are using O-ring O-K-008, you do not need to replace the O-ring unless it Note is showing obvious signs of wear or damage. This O-ring is designed for use with all solvents.

- 2. Insert the flush valve button into the spring.
- 3. Push the button and spring into the flush valve body.
- 4. Replace the O-ring on the flush seal body.


Note Different O-rings are used on the two assemblies TLN-FV-1000 and TLN-FV-1000-INT. Make sure you order the correct seal kit for the assembly you have.

- 5. Insert the flush seal body into the end of the flush valve body and screw it onto the button.
- 6. Place a flush valve seal on the flush valve body.
- 7. Install the flush valve body into the flush valve neck.
- 8. Install the split seal onto the flush valve body.


Assemble Catalyst Injector

9. Reassemble the catalyst injector and reinstall it into the gun.







△ Selecting Chopper











▲ Troubleshooting

Catalyst Problems		
Symptom	Possible Cause	Remedy
	Rod seal housing loose	Tighten rod seal housing
Catalyst leaking around	Damaged rod seal assembly	Replace rod seal assembly
catalyst actuating rod	Damaged catalyst actuating rod	Check and replace catalyst actuating rod as
	Damaged Catalyst actuating rod	needed
Catalyst leaking around	Rod seal housing loose	Tighten rod seal housing
rod seal housing	Damaged O-ring on rod seal	Replace O-ring
Tod sear flodsing	housing	neplace O-filing
Catalyst leaking around	Catalyst cartridge loose	Tighten the catalyst cartridge into gun head
catalyst cartridge	Damaged O-ring on catalyst	Replace O-rings and check gun head for
Catalyst cartriage	cartridge	damage
Catalyat looking around	Catalyst fitting loose	Tighten catalyst fitting into gun head
Catalyst leaking around catalyst fitting	Damaged O-ring on catalyst	Replace O-ring and check gun head for damage
Satary of Titaling	fitting	Theplace O-filing and check guilfliead for damage
	Damaged O-ring in catalyst	Replace O-ring
Catalyst leaking from front of gun block	cartridge	Theplace of this
	Damaged or dirty ball in catalyst	Clean or replace catalyst ball as necessary
Home or gair blook	cartridge	Clour of replace datalyst bull as recessary
	Damaged compression spring	Check and replace compression spring



Catalyst Problems		
Symptom	Possible Cause	Remedy
Catalyst leaking from front of gun block	Catalyst actuation rod holding ball open	Check that catalyst needle is moving freely and not being pressed down by handle, adjust as needed
Catalyst getting into	No resin pressure	Check resin pump for proper operation (refer to your system manual) Check and fill resin supply as needed Do not prime catalyst with spray tip in place
resin side of gun	Catalyst leaking through cartridge valve	Repair valve as needed Nightly remove mix chamber and hang gun front down Release catalyst pressure nightly or at shutdown
	Stuck or damaged catalyst actuating rod	Check and repair catalyst rod as necessary Check the catalyst ball and spring for damage or blockage; clean or replace as needed
	Gun head porting blocked	Check and clean gun head porting
	Blocked catalyst hose or fitting	Check the catalyst hose and fitting, clear or replace as needed
	Damaged or blocked catalyst injector	Repair or replace catalyst injector as needed
No catalyst from gun	Catalyst pump not working correctly	Repair catalyst pump as needed
	Catalyst pump disconnected from slave drive	Connect catalyst pump to slave drive and set to proper percentage Connect slave drive to the pump
	Catalyst ball valve or relief valve open on the catalyst manifold	Check ball valve and relief valve and close or repair as needed
	Damaged/crushed turbulent mixer lip	Replace turbulent mixer

Resin Problems		
Symptom	Possible Cause	Remedy
Resin leaking around	Rod seal housing loose	Tighten rod seal housing
catalyst actuating rod	Damaged rod seal assembly	Replace rod seal assembly
catalyst actuating rou	Damaged actuating rod	Check and replace actuating rod as needed
Resin leaking around	Rod seal housing loose	Tighten rod seal housing
rod seal housing	Damaged O-ring on rod seal housing	Replace O-ring
Pooin looking around	Material cartridge loose	Tighten the material cartridge into gun head
Resin leaking around material cartridge	Damaged O-ring on material cartridge	Replace O-rings and check gun head for damage



Resin Problems		
Symptom	Possible Cause	Remedy
Resin leaking around	Resin fitting loose	Tighten resin fitting into gun head
resin fitting	Damaged O-ring on catalyst fitting	Replace O-ring and check gun head for damage
	Damaged turbulent mixer or	Clean and replace the turbulent mixer as needed
	spray tip	and check the spray tip for damage
Resin leaking from		Tighten the nozzle cap slightly – do not
spray tip	Nozzle cap loose	overtighten or the turbulent mixer will be
Spray up		damaged
	Damaged or dirty ball in the material cartridge	Clean or replace material ball as needed
	Damaged or dirty material seat	Remove the material cartridge and check and
	in material cartridge	clean the ball seat
		Check that the actuating rod is moving freely
	Actuating rod holding ball open	and not being pressed down by the handle,
		adjust as needed
	Stuck or damaged actuating rod	Repair or replace actuating rod as needed
	Damaged compression spring	Check and replace the compression spring in the
	Damaged compression spring	material cartridge
	Blocked spray tip	Clean or replace spray tip
	Actuating rod not opening	Check actuating rod for damage and then check
No Resin from gun	material ball	material cartridge and ball; replace as needed
	Gun head porting blocked	Check and clean gun head porting
	Blocked resin hose or fitting	Check resin hose and fitting and clear as needed
	Resin pump not working	Repair resin pump as needed
	correctly	nepaii resiii puilip as fieeueu
	Resin return ball valve open	Close ball valve located below resin filter

Flush Problems		
Symptom	Possible Cause	Remedy
Solvent leaking around	Flush body loose	Tighten flush valve body a little – do not overtighten
flush neck	Damaged split seal	Replace split seal
	Dirty or damaged gun block	Check and clean gun block around flush port
Solvent leaking	Flush body loose	Tighten flush valve body a little into the gun block – do not overtighten
between the flush neck	Damaged flush valve seal	Replace flush valve seal
and flush body	Damaged flush valve body or neck	Check the flush valve body and neck for damage and replace as needed
Solvent leaking around flush button	Damaged O-ring on the flush button Damaged flush valve body	Replace O-ring on flush button. Make sure new O-ring is compatible with solvent Replace flush valve body



Flush Problems		
Symptom	Possible Cause	Remedy
Solvent leaking around	Loose barb fitting	Tighten barb fitting into flush neck
barb fitting	Damaged seal	Replace nylon seal
	Seal body O-ring damaged	Replace O-ring
Solvent leaking from	Dirty or damaged flush valve	Clean or replace flush valve body as needed
front of gun block or	body	Glean of replace hush valve body as needed
mix chamber	Solvent pressure too high	Reduce solvent tank pressure
THIX CHAITIBE	Flush seal body loos or off the	Connect and tighten the flush seal body onto the
	button	button
Resin leaking into the	Damaged flush seal O-ring	Replace the O-ring on the flush seal
solvent supply tube /	Flush seal body loose of off	Connect and tighten the flush seal body onto the
flush tank	button	button

General Problems		
Symptom	Possible Cause	Remedy
		Replace O-ring
Air leaking around air valve	Damaged O-ring on air valve	Check inside handle for scratches or damage, replace parts as needed to avoid future damage to O-rings
Air constantly leaking around 3-way valve shaft	Faulty 3-way valve	Replace valve
Air constantly leaking from exhaust port		
	Loose mix housing	Tighten cap screws holding mix housing in place
Material leaking around mix chamber	Damaged mix housing seal or gun block	Replace mix housing seal
		Check gun block for scratches or damage and
	gan blook	replace parts as needed



Parts Drawings


The following drawings are included in this manual for your reference:

Parts Drawings	
Part Number	Description
TLN-IC-100-INT	Talon Internal Mix Chop Gun Assembly - International
TLN-IC-100S-INT	Talon Internal Mix Chop Gun Assy – Signal - International
TLN-IC-200-INT	Talon Internal Mix Chop Gun Assembly - International
TLN-IC-200S-INT	Talon Internal Mix Chop Gun Assy - Signal - International
TLN-IFC-100-INT	Talon Internal Mix Filled Chop Gun Assembly - International
TLN-IFC-100S-INT	Talon Internal Mix Filled Chop Gun Assy – Signal - International



Parts Drawings	
Part Number	Description
TLN-IFC-200-INT	Talon Internal Mix Filled Chop Gun Assembly - International
TLN-IFC-200S-INT	Talon Internal Mix Filled Chop Gun Assy – Signal - International
TLN-IG-100S-INT	Talon Internal Mix Gel Gun Assy - Signal - International
TLN-IG-200S-INT	Talon Internal Mix Gel Gun Assy - Signal - International
TLN-IW-100-INT	Talon Internal Mix Wetout Gun Assembly - International
TLN-IW-100S-INT	Talon Internal Mix Wetout Gun Assy – Signal - International
TLN-IW-200-INT	Talon Internal Mix Wetout Gun Assembly - International
TLN-IW-200S-INT	Talon Internal Mix Wetout Gun Assy - Signal - International
TLN-FV-1000-INT	Talon Flush Valve - International
TLN-IC-F-SK-INT	Seal Kit - FIT Gun Assemblies - International
TLN-IC-SK-INT	Seal Kit - International
TLN-I-CTR-C	Catalyst Cartridge Assembly
TLN-I-CTR-FM	Filled Material Cartridge Assembly
TLN-I-CTR-M	Material Cartridge Assembly
5104-03-01	Catalyst Injector Assembly





MAGNUM VENUS PLASTECH

TALON INTERNAL MIX CHOP GUN	TLN	-IC-100-INT
REV:H 10/23/2015	SHEET 1 / 2	4/2/2013



		Parts L	ist
ITEM	PART NUMBER	QTY	DESCRIPTION
1	TLN-1001-01	1	GUN BLOCK
2	TLN-1024	1	CATALYST VALVE BODY
3	TLN-1008-01	1	RESIN VALVE BODY
4	TLN-1007	2	BALL GUIDE
5	TLN-2021	2	ROD SEAL HOUSING
6	TLN-1005	1	RESIN FITTING
7	TLN-1006	1	CATALYST FITTING
8	TLN-1002	1	TOP PLATE
9	TLN-1003	1	GUN HANDLE
10	O-E-013	1	O-RING
11	O-E-015	1	O-RING
12	TLN-1033	1	3 WAY VALVE
13	5104-22-1	1	FLUSH VALVE NECK
14	TLN-1044	1	EXHAUST RING
15	O-E-011	1	O-RING
16	TLN-1009	1	TRIGGER GUARD
17	TLN-2025	î	TRIGGER
18	5104-20-1	1	MIX HOUSING
19	5104-15-1	i	INJECTOR BODY
20	5104-17-1	1	DISTRIBUTION RING
21	5104-12-1	1	MIX HOUSING SEAL
22	F-CS-1024-06	2	CAP SCREW
23	5107-27-3	1	TURBULENT MIXER
24	8704-4-1	1	NOZZLE CAP
25	TLN-1036	1	PUSH ROD
26	TLN-1028	1	TRIGGER STOP
27	TLN-1026	2	RETAINING RING
28		1	CAP SCREW
29	F-CS-04C-08 F-BHCS-1032-08	1	BUTTON HEAD CAP SCREW
		2	The same of the sa
30	TLN-2044 TLN-1037	1	SPRING COVER
_		-	VALVE COVER
32	TLN-2029	2	ROD SEAL ASSEMBLY
33	TLN-2043	2	CERAMIC BALL
34	O-A-007	2	O-RING
35	F-QP-03-12	1	QUICK RELEASE PIN
36	LWG-6527	1	SPRING PLUNGER
37	O-S-015	1	O-RING
38	F-BHCS-832-06	1	BUTTON HEAD CAP SCREW
39	O-E-012	1	O-RING
40	F-CS-632-04-SS	2	CAP SCREW
41	FT-552	1	FLAT TIP
42	7701-6-4	1	POLY FITTING
43	PF-AP-02-SS	1	PIPE PLUG
44	TLN-1120-01	1	TRIGGER ARM
45	6506-1-0.5	1	POLY AIR WHIP
46	O-S-013	1	O-RING
47	O-S-011	1	O-RING
48	O-S-012	1	O-RING
49	PF-SE-02-05T	1	ELBOW
50	O-B-014	2	O-RING
51	TLN-1041	1	CATALYST PUSH ROD
52	5104-16-1	1	INJECTOR PLUNGER
53	5104-14-1	1	PLUNGER RETAINER
54	9203-2-2	1	INJECTOR SPRING
55	5104-13-1	1	INJECTOR SEAL

	Parts List				
ITEM	PART NUMBER	QTY	DESCRIPTION		
56	5104-21-1	1	FLUSH VALVE SPLIT SEAL		
57	5104-24-1	1	FLUSH VALVE BODY		
58	5104-25-1	1	FLUSH VALVE BUTTON		
59	O-E-008	1	O-RING		
60	9203-2-3	1	COMPRESSION SPRING		
61	5104-23-1	1	FLUSH SEAL BODY		
62	5104-26-1	1	FLUSH VALVE SEAL		
63	7701-6-3	1	10-32 BARBED FITTING		
64	7304-3-1	1	NYLON SEAL		
65	7701-2-1	1	HOSE CLAMP - POLY TUBE		

REPAIR KIT

69 TLN-I-CTR-M

(ASTERISKS DENOTE PARTS IN KIT) *TLN-IC-SK-INT

AVAILABLE SEPARATELY


TRIGGER ARM - SYMMETRICAL ACTUATION 44A TLN-1220-01 66 5104-03-01 INJECTOR ASSEMBLY TLN-FV-1000-INT
TLN-I-CTR-C
TLN-I-CTR-M
MATERIAL CARTRIDGE ASSEMBLY
MATERIAL CARTRIDGE ASSEMBLY

MAGNUM VENUS PLASTECH

TALON INTERNAL MIX CHOP GUN TLN-IC-100-INT

REV:H 10/23/2015 4/2/2013 SHEET 2 / 2





MAGNUM VENUS PLASTECH

TALON INTERNAL MIX CHOP GUN	TLN-	IC-100S-INT
REV:G 03/12/2015	SHEET 1 / 2	4/2/2013



		Parts L	ist
ITEM	PART NUMBER	QTY	DESCRIPTION
1	TLN-1001-01	1	GUN BLOCK
2	TLN-1024	1	CATALYST VALVE BODY
3	TLN-1008-01	1	RESIN VALVE BODY
4	TLN-1007	2	BALL GUIDE
5	TLN-2021	2	ROD SEAL HOUSING
6	TLN-1005	1	RESIN FITTING
7	TLN-1006	1	CATALYST FITTING
8	TLN-1002	1	TOP PLATE
9	TLN-1003	1	GUN HANDLE
10	O-E-013	1	O-RING
11	O-E-015	1	O-RING
12	TLN-1033	1	3 WAY VALVE
13	5104-22-1	1	FLUSH VALVE NECK
14	TLN-1044	1	EXHAUST RING
15	O-E-011	1	O-RING
16	TLN-1009	1	TRIGGER GUARD
17	TLN-2025	î	TRIGGER
18	5104-20-1	1	MIX HOUSING
19	5104-15-1	i	INJECTOR BODY
20	5104-17-1	1	DISTRIBUTION RING
21	5104-12-1	1	MIX HOUSING SEAL
22	F-CS-1024-06	2	CAP SCREW
23	5107-27-3	1	TURBULENT MIXER
24	8704-4-1	1	NOZZLE CAP
25	TLN-1036	1	PUSH ROD
26	TLN-1028	1	TRIGGER STOP
27	TLN-1031	2	RETAINING RING
28		1	CAP SCREW
29	F-CS-04C-08 F-BHCS-1032-08	1	BUTTON HEAD CAP SCREW
		2	The same of the sa
30	TLN-2044 TLN-1037	1	SPRING COVER
_		-	VALVE COVER
32	TLN-2029	2	ROD SEAL ASSEMBLY
33	TLN-2043	2	CERAMIC BALL
34	O-A-007	2	O-RING
35	F-QP-03-12	1	QUICK RELEASE PIN
36	LWG-6527	1	SPRING PLUNGER
37	O-S-015	1	O-RING
38	F-BHCS-832-06	1	BUTTON HEAD CAP SCREW
39	O-E-012	1	O-RING
40	F-CS-632-04-SS	2	CAP SCREW
41	FT-552	1	FLAT TIP
42	7701-6-4	1	POLY FITTING
43	MPH-2539	1	MALE ELBOW
44	TLN-1120-01	1	TRIGGER ARM
45	6506-1-0.5	1	POLY AIR WHIP
46	O-S-013	1	O-RING
47	O-S-011	1	O-RING
48	O-S-012	1	O-RING
49	PF-SE-02-05T	1	ELBOW
50	O-B-014	2	O-RING
51	TLN-1041	1	CATALYST PUSH ROD
52	5104-16-1	1	INJECTOR PLUNGER
53	5104-14-1	1	PLUNGER RETAINER
54	9203-2-2	1	INJECTOR SPRING
55	5104-13-1	1	INJECTOR SEAL

	Parts List				
ITEM	PART NUMBER	QTY	DESCRIPTION		
56	5104-21-1	1	FLUSH VALVE SPLIT SEAL		
57	5104-24-1	1	FLUSH VALVE BODY		
58	5104-25-1	1	FLUSH VALVE BUTTON		
59	O-E-008	1	O-RING		
60	9203-2-3	1	COMPRESSION SPRING		
61	5104-23-1	1	FLUSH SEAL BODY		
62	5104-26-1	1	FLUSH VALVE SEAL		
63	7701-6-3	1	10-32 BARBED FITTING		
64	7304-3-1	1	NYLON SEAL		
65	7701-2-1	1	HOSE CLAMP - POLY TUBE		

REPAIR KIT

*TLN-IC-SK-INT (ASTERISKS DENOTE PARTS IN KIT)

AVAILABLE SEPARATELY

 44A
 TLN-1220-01
 TRIGGER ARM - SYMMETRICAL ACTUATION

 66
 5104-03-01
 INJECTOR ASSEMBLY

 67
 TLN-FV-1000-INT
 FLUSH VALVE

 68
 TLN-I-CTR-C
 CATALYST CARTRIDGE ASSEMBLY


 69
 TLN-I-CTR-M
 MATERIAL CARTRIDGE ASSEMBLY

MAGNUM VENUS PLASTECH

TALON INTERNAL MIX CHOP GUN TLN-IC-100S-INT

REV:G 03/12/2015 SHEET 2 / 2 4/2/2013





MAGNUM VENUS PLASTECH

TALON INTERNAL MIX CHOP GUN	TLN	-IC-200-INT
REV:I 03/23/2016	SHEET 1 / 2	4/2/2013



		Parts L	ist
ITEM	PART NUMBER	QTY	DESCRIPTION
1	TLN-1001-01	1	GUN BLOCK
2	TLN-1024	1	CATALYST VALVE BODY
3	TLN-1008-01	1	RESIN VALVE BODY
4	TLN-1007	2	BALL GUIDE
5	TLN-2021	2	ROD SEAL HOUSING
6	TLN-1005-F	1	FIT RESIN FITTING
7	TLN-1006	1	CATALYST FITTING
8	TLN-1002	1	TOP PLATE
9	TLN-1003	1	GUN HANDLE
10	O-E-013	î	O-RING
11	O-E-015	1	O-RING
12	TLN-1033	1	3 WAY VALVE
13	5104-22-1	1	FLUSH VALVE NECK
14	TLN-1044	1	EXHAUST RING
15	0-E-011	1	O-RING
_	TLN-1009	1	
16		1	TRIGGER GUARD
17	TLN-2025	_	TRIGGER MIVED ADAPTED
18	VPG-1001	1	MIXER ADAPTER
19	5104-15-1	1	INJECTOR BODY
20	5104-17-1	1	DISTRIBUTION RING
21	5104-12-1	1	MIX HOUSING SEAL
22	F-CS-1024-06	2	CAP SCREW
23	VPG-1003	1	STATIC MIXER
24	8704-4-1	1	NOZZLE CAP
25	TLN-1036	1	PUSH ROD
26	TLN-1028	1	TRIGGER STOP
27	TLN-1031	2	RETAINING RING
28	F-CS-04C-08	1	CAP SCREW
29	F-BHCS-1032-08	1	BUTTON HEAD CAP SCREW
30	TLN-2044	2	SPRING
31	TLN-1037	1	VALVE COVER
32	TLN-2029	2	ROD SEAL ASSEMBLY
33	TLN-2043	2	CERAMIC BALL
34	O-A-007	2	O-RING
35	F-QP-03-12	1	QUICK RELEASE PIN
36	LWG-6527	1	SPRING PLUNGER
37	O-S-015	1	O-RING
38	F-BHCS-832-06	Î	BUTTON HEAD CAP SCREW
39	O-E-012	1	O-RING
40	F-CS-632-04-SS	2	CAP SCREW
41	VFIT-6025	1	FIT SPRAY TIP
42	7701-6-4	1	POLY FITTING
_		1	
43	PF-AP-02-SS	_	PIPE PLUG
44	TLN-1120-01	1	TRIGGER ARM
45	6506-1-0.5	1	POLY AIR WHIP
46	O-S-013	1	O-RING
47	O-S-011	1	O-RING
48	O-S-012	1	O-RING
49	VPG-1002	1	DIFFUSER
50	PF-SE-02-05T	1	ELBOW
51	O-B-014	2	O-RING
52	TLN-1041	1	CATALYST PUSH ROD
53	5104-16-1	1	INJECTOR PLUNGER
54	5104-14-1	1	PLUNGER RETAINER
55	9203-2-2	1	INJECTOR SPRING
56	5104-13-1	1	INJECTOR SEAL

100		Parts	List
ITEM	PART NUMBER	QTY	DESCRIPTION
57	5104-21-1	1	FLUSH VALVE SPLIT SEAL
58	5104-24-1	1	FLUSH VALVE BODY
59	5104-25-1	1	FLUSH VALVE BUTTON
60	O-E-008	1	O-RING
61	9203-2-3	1	COMPRESSION SPRING
62	5104-23-1	1	FLUSH SEAL BODY
63	5104-26-1	1	FLUSH VALVE SEAL
64	7701-6-3	1	10-32 BARBED FITTING
65	7304-3-1	1	NYLON SEAL
66	7701-2-1	1	HOSE CLAMP - POLY TUBE

REPAIR KIT

*TLN-IC-F-SK-INT (ASTERISKS DENOTE PARTS IN KIT)

AVAILABLE SEPARATELY

 44A
 TLN-1220-01
 TRIGGER ARM - SYMMETRICAL ACTUATION

 67
 5104-03-01
 INJECTOR ASSEMBLY

 68
 TLN-FV-1000-INT
 FLUSH VALVE

 69
 TLN-I-CTR-C
 CATALYST CARTRIDGE ASSEMBLY


 70
 TLN-I-CTR-M
 MATERIAL CARTRIDGE ASSEMBLY

MAGNUM VENUS PLASTECH

TALON INTERNAL MIX CHOP GUN TLN-IC-200-INT

REV: I 03/23/2016 SHEET 2 / 2 4/2/2013





TALON INTERNAL MIX CHOP GUN W/SIGNAL	TLN-IC-200S-INT	
REV:I 03/23/2016	SHEET 1 /2	4/2/2013



		Parts L	ist
ITEM	PART NUMBER	QTY	DESCRIPTION
1	TLN-1001-01	1	GUN BLOCK
2	TLN-1024	1	CATALYST VALVE BODY
3	TLN-1008-01	1	RESIN VALVE BODY
4	TLN-1007	2	BALL GUIDE
5	TLN-2021	2	ROD SEAL HOUSING
6	TLN-1005-F	1	FIT RESIN FITTING
7	TLN-1006	1	CATALYST FITTING
8	TLN-1002	1	TOP PLATE
9	TLN-1003	1	GUN HANDLE
10	O-E-013	1	O-RING
11	O-E-015	1	O-RING
12	TLN-1033	1	3 WAY VALVE
13	5104-22-1	1	FLUSH VALVE NECK
14	TLN-1044	1	EXHAUST RING
15	O-E-011	1	O-RING
16	TLN-1009	1	TRIGGER GUARD
17	TLN-2025	1	TRIGGER
18	VPG-1001	1	MIXER ADAPTER
19	5104-15-1	1	INJECTOR BODY
20	5104-17-1	1	DISTRIBUTION RING
21	5104-12-1	1	MIX HOUSING SEAL
22	F-CS-1024-06	2	CAP SCREW
23	VPG-1003	1	STATIC MIXER
24	8704-4-1	1	NOZZLE CAP
25	TLN-1036	1	PUSH ROD
26	TLN-1028	1	TRIGGER STOP
27	TLN-1031	2	RETAINING RING
28	F-CS-04C-08	1	CAP SCREW
29	F-BHCS-1032-08	1	BUTTON HEAD CAP SCREW
30	TLN-2044	2	SPRING
31	TLN-1037	1	VALVE COVER
32	TLN-2029	2	ROD SEAL ASSEMBLY
33	TLN-2043	2	CERAMIC BALL
34	O-A-007	2	O-RING
35	F-QP-03-12	1	QUICK RELEASE PIN
36	LWG-6527	1	SPRING PLUNGER
37	O-S-015	1	O-RING
38	F-BHCS-832-06	1	BUTTON HEAD CAP SCREW
39	O-E-012	1	O-RING
40	F-CS-632-04-SS	2	CAP SCREW
41	VFIT-6025	1	FIT SPRAY TIP
42	7701-6-4	1	POLY FITTING
43	MPH-2539	1	MALE ELBOW
44	TLN-1120-01	1	TRIGGER ARM
45	6506-1-0.5	Î	POLY AIR WHIP
46	O-S-013	1	O-RING
47	O-S-011	1	O-RING
48	O-S-012	1	O-RING
49	VPG-1002	1	DIFFUSER
50	PF-SE-02-05T	1	ELBOW
51	O-B-014	2	O-RING
52	TLN-1041	1	CATALYST PUSH ROD
53	5104-16-1	1	INJECTOR PLUNGER
54	5104-14-1	1	PLUNGER RETAINER
55	9203-2-2	1	INJECTOR SPRING
56	5104-13-1	1	INJECTOR SEAL

0.0		Parts	List
ITEM	PART NUMBER	QTY	DESCRIPTION
57	5104-21-1	1	FLUSH VALVE SPLIT SEAL
58	5104-24-1	1	FLUSH VALVE BODY
59	5104-25-1	1	FLUSH VALVE BUTTON
60	O-E-008	1	O-RING
61	9203-2-3	1	COMPRESSION SPRING
62	5104-23-1	1	FLUSH SEAL BODY
63	5104-26-1	1	FLUSH VALVE SEAL
64	7701-6-3	1	10-32 BARBED FITTING
65	7304-3-1	1	NYLON SEAL
66	7701-2-1	1	HOSE CLAMP - POLY TUBE

*TLN-IC-F-SK-INT (ASTERISKS DENOTE PARTS IN KIT)

AVAILABLE SEPARATELY

 44A
 TLN-1220-01
 TRIGGER ARM - SYMMETRICAL ACTUATION

 67
 5104-03-01
 INJECTOR ASSEMBLY

 68
 TLN-FV-1000-INT
 FLUSH VALVE

 69
 TLN-I-CTR-C
 CATALYST CARTRIDGE ASSEMBLY

 70
 TLN-I-CTR-M
 MATERIAL CARTRIDGE ASSEMBLY


MAGNUM VENUS PLASTECH

TALON INTERNAL MIX CHOP GUN W/SIGNAL

TLN-IC-200S-INT

REV: I 03/23/2016 SHEET 2 / 2 4/2/2013





TALON INTERNAL MIX CHOP GUN	TLN-IFC-100-INT	
REV:E 11/03/2015	SHEET 1 / 2	4/2/2013



1			Parts L	st
	ITEM	PART NUMBER	QTY	DESCRIPTION
Г	1	TLN-1001-01-SS	1	GUN BLOCK
Γ	2	TLN-1024	1	CATALYST VALVE BODY
Г	3	TLN-1008F-01	1	RESIN VALVE BODY
Г	4	TLN-1007	1	BALL GUIDE
T	5	TLN-2021	2	ROD SEAL HOUSING
T	6	TLN-1005	1	RESIN FITTING
t	7	TLN-1006	1	CATALYST FITTING
r	8	TLN-1002	1	TOP PLATE
Г	9	TLN-1003	1	GUN HANDLE
4	10	O-E-013	1	O-RING
4	11	O-E-015	1	O-RING
t	12	TLN-1033	1	3 WAY VALVE
T	13	5104-22-1	1	FLUSH VALVE NECK
t	14	TLN-1044	1	EXHAUST RING
4	15	O-E-011	1	O-RING
۲	16	TLN-1009	1	TRIGGER GUARD
1	17	TLN-2025	1	TRIGGER
T	18	5104-20-1	1	MIX HOUSING
+	19	5104-15-1	1	INJECTOR BODY
Ì	20	5104-18-1	1	FILLED RESIN DISTRIBUTION RING
k	21	5104-12-1	1	MIX HOUSING SEAL
H	22	F-CS-1024-06	2	CAP SCREW
	23	5107-27-3	1	TURBULENT MIXER
F	24	8704-4-1	1	NOZZLE CAP
H	25	TLN-1041	1	CATALYST PUSH ROD
H	26	TLN-1028	1	TRIGGER STOP
H	27	TLN-1031	2	RETAINING RING
H	28	F-CS-04C-08	1	CAP SCREW
H	29	F-BHCS-1032-08	1	BUTTON HEAD CAP SCREW
+	30	TLN-2044	2	SPRING
H	31	TLN-1037	1	VALVE COVER
d	32	TLN-2029	2	ROD SEAL ASSEMBLY
1	33	TLN-2043	2	CERAMIC BALL
4	34	O-A-007	2	O-RING
+	35	F-OP-03-12	1	QUICK RELEASE PIN
H	36	LWG-6527	1	SPRING PLUNGER
k	37	O-S-015	1	O-RING
-	38	F-BHCS-832-06	1	BUTTON HEAD CAP SCREW
k				O-RING
1	40	O-E-012 F-CS-632-04-SS	2	CAP SCREW
H	41	FT-552	1	FLAT TIP
+	42	7701-6-4	1	A STATE OF THE STA
+	43	PF-AP-02-SS	1	POLY FITTING PIPE PLUG
+	44			TRIGGER ARM
1	45	TLN-1120-01 6506-1-0.5	1	POLY AIR WHIP
1			1	The state of the s
-	46	O-S-013	1	O-RING
-	47	O-S-011	1	O-RING
-	48	O-S-012	1	O-RING
F	49	PF-SE-02-05T	1	ELBOW
4	50	O-B-014	2	O-RING
L	51	TLN-1036-TC	1	RESIN PUSH ROD
L	52	5104-16-1	1	INJECTOR PLUNGER
L	53	5104-14-1	1	PLUNGER RETAINER
L	54	9203-2-2	1	INJECTOR SPRING
K	55	5104-13-1	1	INJECTOR SEAL

ı		Parts List					
1	ITEM	PART NUMBER	QTY	DESCRIPTION			
ķ	56	5104-21-1	1	FLUSH VALVE SPLIT SEAL			
	57	5104-24-1	1	FLUSH VALVE BODY			
Γ	58	5104-25-1	1	FLUSH VALVE BUTTON			
*	59	O-E-008	1	O-RING			
ſ	60	9203-2-3	1	COMPRESSION SPRING			
Ī	61	5104-23-1	1	FLUSH SEAL BODY			
*	62	5104-26-1	1	FLUSH VALVE SEAL			
1	63	7701-6-3	1	10-32 BARBED FITTING			
*	64	7304-3-1	1	NYLON SEAL			
ı	65	7701-2-1	1	HOSE CLAMP - POLY TUBE			

*TLN-IC-SK-INT (ASTERISKS DENOTE PARTS IN KIT)

AVAILABLE SEPARATELY


44A	TLN-1220-01	TRIGGER ARM - SYMMETRICAL ACTUATION
66	5104-03-01	INJECTOR ASSEMBLY
67	TLN-FV-1000-INT	FLUSH VALVE
68	TLN-I-CTR-C	CATALYST CARTRIDGE ASSEMBLY
69	TLN-I-CTR-FM	MATERIAL CARTRIDGE ASSEMBLY

MAGNUM VENUS PLASTECH

TALON INTERNAL MIX CHOP GUN TLN-IFC-100-INT

REV: E 11/03/2015 SHEET 2 / 2 4/2/2013





TALON INTERNAL MIX CHOP GUN	TLN-IFC-100S-INT	
REV:E 11/04/2015	SHEET 1 / 2	4/2/2013



1			Parts Li	st
	ITEM	PART NUMBER	QTY	DESCRIPTION
	1	TLN-1001-01-SS	1	GUN BLOCK
Ε	2	TLN-1024	1	CATALYST VALVE BODY
Г	3	TLN-1008F-01	1	RESIN VALVE BODY
	4	TLN-1007	1	BALL GUIDE
Γ	5	TLN-2021	2	ROD SEAL HOUSING
Г	6	TLN-1005	1	RESIN FITTING
Γ	7	TLN-1006	1	CATALYST FITTING
T	8	TLN-1002	1	TOP PLATE
Γ	9	TLN-1003	1	GUN HANDLE
٠	10	O-E-013	1	O-RING
c	11	O-E-015	1	O-RING
Г	12	TLN-1033	1	3 WAY VALVE
Т	13	5104-22-1	1	FLUSH VALVE NECK
Г	14	TLN-1044	1	EXHAUST RING
c T	15	O-E-011	1	O-RING
T	16	TLN-1009	1	TRIGGER GUARD
t	17	TLN-2025	1	TRIGGER
T	18	5104-20-1	1	MIX HOUSING
T	19	5104-15-1	1	INJECTOR BODY
Ī	20	5104-18-1	1	FILLED RESIN DISTRIBUTION RING
c	21	5104-12-1	1	MIX HOUSING SEAL
	22	F-CS-1024-06	2	CAP SCREW
¢.	23	5107-27-3	1	TURBULENT MIXER
Т	24	8704-4-1	1	NOZZLE CAP
T	25	TLN-1041	1	CATALYST PUSH ROD
T	26	TLN-1028	1	TRIGGER STOP
T	27	TLN-1031	2	RETAINING RING
T	28	F-CS-04C-08	1	CAP SCREW
Г	29	F-BHCS-1032-08	1	BUTTON HEAD CAP SCREW
T	30	TLN-2044	2	SPRING
Г	31	TLN-1037	1	VALVE COVER
k	32	TLN-2029	2	ROD SEAL ASSEMBLY
r	33	TLN-2043	2	CERAMIC BALL
e T	34	O-A-007	2	O-RING
T	35	F-QP-03-12	1	QUICK RELEASE PIN
T	36	LWG-6527	1	SPRING PLUNGER
c	37	O-S-015	1	O-RING
r	38	F-BHCS-832-06	1	BUTTON HEAD CAP SCREW
c	39	O-E-012	1	O-RING
T	40	F-CS-632-04-SS	2	CAP SCREW
t	41	FT-552	1	FLAT TIP
t	42	7701-6-4	1	POLY FITTING
t	43	MPH-2539	1	MALE ELBOW
t	44	TLN-1120-01	1	TRIGGER ARM
T	45	6506-1-0.5	1	POLY AIR WHIP
	46	O-S-013	1	O-RING
	47	O-S-011	1	O-RING
-	48	O-S-012	1	O-RING
1	49	PF-SE-02-05T	1	ELBOW
	50	O-B-014	2	O-RING
+	51	TLN-1036-TC	1	RESIN PUSH ROD
1	52	5104-16-1	1	INJECTOR PLUNGER
+	53	5104-14-1	1	PLUNGER RETAINER
+	54	9203-2-2	1	INJECTOR SPRING
ķ.	55	5104-13-1	1	INJECTOR SEAL

1			Parts Li	st
I	TEM	PART NUMBER	QTY	DESCRIPTION
ď	56	5104-21-1	1	FLUSH VALVE SPLIT SEAL
Г	57	5104-24-1	1	FLUSH VALVE BODY
Г	58	5104-25-1	1	FLUSH VALVE BUTTON
4	59	O-E-008	1	O-RING
	60	9203-2-3	1	COMPRESSION SPRING
	61	5104-23-1	1	FLUSH SEAL BODY
╡	62	5104-26-1	1	FLUSH VALVE SEAL
	63	7701-6-3	1	10-32 BARBED FITTING
k	64	7304-3-1	1	NYLON SEAL
Г	65	7701-2-1	1	HOSE CLAMP - POLY TUBE

*TLN-IC-SK-INT (ASTERISKS DENOTE PARTS IN KIT)

AVAILABLE SEPARATELY


44A	TLN-1220-01	TRIGGER ARM - SYMMETRICAL ACTUATION
66	5104-03-01	INJECTOR ASSEMBLY
67	TLN-FV-1000-INT	FLUSH VALVE
68	TLN-I-CTR-C	CATALYST CARTRIDGE ASSEMBLY
69	TLN-I-CTR-FM	MATERIAL CARTRIDGE ASSEMBLY

MAGNUM VENUS PLASTECH

TALON INTERNAL MIX CHOP GUN TLN-IFC-100S-INT

REV: E 11/04/2015 SHEET 2 / 2 4/2/2013





TALON INTERNAL MIX CHOP GUN

TLN-IFC-200-INT

REV: E 11/04/2015 SHEET 1 / 2 4/2/2013



L			ist	
	ITEM	PART NUMBER	QTY	DESCRIPTION
Е	1	TLN-1001-01-SS	1	GUN BLOCK
Γ	2	TLN-1024	1	CATALYST VALVE BODY
r	3	TLN-1008F-01	1	RESIN VALVE BODY
r	4	TLN-1007	1	BALL GUIDE
t	5	TLN-2021	2	ROD SEAL HOUSING
t	6	TLN-1005-F	1	FIT RESIN FITTING
t	7	TLN-1006	1	CATALYST FITTING
r	8	TLN-1002	1	TOP PLATE
r	9	TLN-1003	1	GUN HANDLE
ď	10	O-E-013	1	O-RING
4	11	O-E-015	1	O-RING
H	12	TLN-1033	1	3 WAY VALVE
H	13	5104-22-1	1	FLUSH VALVE NECK
H	14	TLN-1044	1	EXHAUST RING
-	15	O-E-011	1	O-RING
Ή	16	TLN-1009	1	TRIGGER GUARD
H	17	TLN-2025	1	
H			_	TRIGGER
ŀ	18	VPG-1001	1	MIXER ADAPTER
H	19	5104-15-1	1	INJECTOR BODY
	20	5104-18-1	1	FILLED RESIN DISTRIBUTION RING
ď	21	5104-12-1	1	MIX HOUSING SEAL
Γ	22	F-CS-1024-06	2	CAP SCREW
ď	23	VPG-1003	1	STATIC MIXER
r	24	8704-4-1	1	NOZZLE CAP
t	25	TLN-1041	1	CATALYST PUSH ROD
t	26	TLN-1028	1	TRIGGER STOP
t	27	TLN-1031	2	RETAINING RING
t	28	F-CS-04C-08	1	CAP SCREW
t	29	F-BHCS-1032-08	1	BUTTON HEAD CAP SCREW
H	30	TLN-2044	2	SPRING
t	31	TLN-1037	1	VALVE COVER
4	32	TLN-2029	2	ROD SEAL ASSEMBLY
H	33	TLN-2043	2	CERAMIC BALL
-	34	O-A-007	2	O-RING
Ή	35	F-QP-03-12	1	
ŀ	36	LWG-6527	1	QUICK RELEASE PIN SPRING PLUNGER
H			_	TATALOG BURNON TO A PURE CONTROL OF THE PURE C
L	37	O-S-015	1	O-RING
H		F-BHCS-832-06		BUTTON HEAD CAP SCREW
4	39	O-E-012	1	O-RING
L	40	F-CS-632-04-SS	2	CAP SCREW
L	41	VFIT-6025	1	FIT SPRAY TIP
L	42	7701-6-4	1	POLY FITTING
L	43	PF-AP-02-SS	1	PIPE PLUG
L	44	TLN-1120-01	1	TRIGGER ARM
L	45	6506-1-0.5	1	POLY AIR WHIP
L	46	O-S-013	1	O-RING
	47	O-S-011	1	O-RING
E	48	O-S-012	1	O-RING
4	49	VPG-1002	1	DIFFUSER
Γ	50	PF-SE-02-05T	1	ELBOW
Γ	51	TLN-1036-TC	1	RESIN PUSH ROD
ď	52	O-B-014	2	O-RING

			Parts L	ist
17	EM	PART NUMBER	QTY	DESCRIPTION
	53	5104-16-1	1	INJECTOR PLUNGER
	54	5104-14-1	1	PLUNGER RETAINER
1	55	9203-2-2	1	INJECTOR SPRING
c :	56	5104-13-1	1	INJECTOR SEAL
	57	5104-21-1	1	FLUSH VALVE SPLIT SEAL
	58	5104-24-1	1	FLUSH VALVE BODY
	59	5104-25-1	1	FLUSH VALVE BUTTON
. 6	50	O-E-008	1	O-RING
- 6	51	9203-2-3	1	COMPRESSION SPRING
1	52	5104-23-1	1	FLUSH SEAL BODY
c (53	5104-26-1	1	FLUSH VALVE SEAL
(54	7701-6-3	1	10-32 BARBED FITTING
. 6	55	7304-3-1	1	NYLON SEAL
. 6	56	7701-2-1	1	HOSE CLAMP - POLY TUBE

TLN-IC-F-SK-INT (ASTERISKS DENOTE PARTS IN KIT)

AVAILABLE SEPARATELY


44A	TLN-1220-01	TRIGGER ARM - SYMMETRICAL ACTUATION
67	5104-03-01	INJECTOR ASSEMBLY
68	TLN-FV-1000-INT	FLUSH VALVE
69	TLN-I-CTR-C	CATALYST CARTRIDGE ASSEMBLY
70	TLN-I-CTR-FM	MATERIAL CARTRIDGE ASSEMBLY

MAGNUM VENUS PLASTECH

TALON INTERNAL MIX CHOP GUN TLN-IFC-200-INT

REV: E 11/04/2015 SHEET 2 / 2 4/2/2013





TALON INTERNAL MIX CHOP GUN TLN-IFC-200S-INT

REV: F 12/05/2017 SHEET 1 / 2 4/2/2013



L			Parts L	ISC
	ITEM	PART NUMBER	QTY	DESCRIPTION
Γ	1	TLN-1001-01-SS	1	GUN BLOCK
Γ	2	TLN-1024	1	CATALYST VALVE BODY
T	3	TLN-1008F-01	1	RESIN VALVE BODY
T	4	TLN-1007	1	BALL GUIDE
t	5	TLN-2021	2	ROD SEAL HOUSING
t	6	TLN-1005-F	1	FIT RESIN FITTING
Ì	7	TLN-1006	1	CATALYST FITTING
t	8	TLN-1002	1	TOP PLATE
t	9	TLN-1003	1	GUN HANDLE
*	10	O-E-013	1	O-RING
k	11	O-E-015	1	O-RING
1	12	TLN-1033	1	3 WAY VALVE
H	13	5104-22-1	1	FLUSH VALVE NECK
ł	14	TLN-1044	1	EXHAUST RING
*	15	O-E-011	1	O-RING
7	16	TLN-1009	1	TRIGGER GUARD
ŀ	17	TLN-2025	1	TRIGGER GUARD
H				A STATE OF THE STA
ŀ	18	VPG-1001	1	MIXER ADAPTER
ŀ	19	5104-15-1	1	INJECTOR BODY
	20	5104-18-1	1	FILLED RESIN DISTRIBUTION RING
k.	21	5104-12-1	1	MIX HOUSING SEAL
	22	F-CS-1024-06	2	CAP SCREW
k	23	VPG-1003	1	STATIC MIXER
T	24	8704-4-1	1	NOZZLE CAP
t	25	TLN-1041	1	CATALYST PUSH ROD
t	26	TLN-1028	1	TRIGGER STOP
t	27	TLN-1031	2	RETAINING RING
t	28	F-CS-04C-08	1	CAP SCREW
t	29	F-BHCS-1032-08	1	BUTTON HEAD CAP SCREW
t	30	TLN-2044	2	SPRING
t	31	TLN-1037	1	VALVE COVER
*	32	TLN-2029	2	ROD SEAL ASSEMBLY
"	33	TLN-2043	2	CERAMIC BALL
K	34	O-A-007	2	O-RING
1	35	F-OP-03-12	1	QUICK RELEASE PIN
ŀ	36	LWG-6527	1	SPRING PLUNGER
*	37	O-S-015	1	O-RING
٦	38	F-BHCS-832-06	1	BUTTON HEAD CAP SCREW
*	39	O-E-012	1	O-RING
7	40	F-CS-632-04-SS	2	CAP SCREW
ŀ	41	VFIT-6025	1	FIT SPRAY TIP
H			-	
-	42	7701-6-4	1	POLY FITTING
-	43	MPH-2539	1	MALE ELBOW
-	44	TLN-1120-01	1	TRIGGER ARM
	45	6506-1-0.5	1	POLY AIR WHIP
*	46	O-S-013	1	O-RING
*	47	O-S-011	1	SILICONE O-RING
K	48	O-S-012	1	O-RING
ĸ	49	VPG-1002	1	DIFFUSER
	50	PF-SE-02-05T	1	ELBOW
ſ	51	TLN-1036-TC	1	RESIN PUSH ROD
*	52	O-B-014	2	O-RING

		Parts L	ist
ITEM	PART NUMBER	QTY	DESCRIPTION
53	5104-16-1	1	INJECTOR PLUNGER
54	5104-14-1	1	PLUNGER RETAINER
55	9203-2-2	1	INJECTOR SPRING
56	5104-13-1	1	INJECTOR SEAL
57	5104-21-1	1	FLUSH VALVE SPLIT SEAL
58	5104-24-1	1	FLUSH VALVE BODY
59	5104-25-1	1	FLUSH VALVE BUTTON
60	O-E-008	1	O-RING
61	9203-2-3	1	COMPRESSION SPRING
62	5104-23-1	1	FLUSH SEAL BODY
63	5104-26-1	1	FLUSH VALVE SEAL
64	7701-6-3	1	BARBED FITTING
65	7304-3-1	1	NYLON SEAL
66	7701-2-1	1	HOSE CLAMP - POLY TUBE

TLN-IC-F-SK-INT (ASTERISKS DENOTE PARTS IN KIT)

AVAILABLE SEPARATELY

44A	TLN-1220-01	TRIGGER ARM - SYMMETRICAL ACTUATION
67	5104-03-01	INJECTOR ASSEMBLY
68	TLN-FV-1000-INT	FLUSH VALVE
69	TLN-I-CTR-C	CATALYST CARTRIDGE ASSEMBLY
70	TLN-I-CTR-FM	MATERIAL CARTRIDGE ASSEMBLY


MAGNUM VENUS PLASTECH

TALON INTERNAL MIX CHOP GUN

TLN-IFC-200S-INT

REV:F 12/05/2017 SHEET 2 / 2 4/2/2013





TALON INTERNAL MIX GELCOAT GUN W/SIGNAL	TLN-	IG-100S-INT
REV:E 10/23/2015	SHEET 1 / 2	4/3/2013



		Part	s List
ITEN	PART NUMBER	QTY	DESCRIPTION
1	TLN-1001-01	1	GUN BLOCK
2	TLN-1024	1	CATALYST VALVE BODY
3	TLN-1008-01	1	RESIN VALVE BODY
4	TLN-1007	2	BALL GUIDE
5	TLN-2021	2	ROD SEAL HOUSING
6	TLN-1005	1	RESIN FITTING
7	TLN-1006	1	CATALYST FITTING
8	TLN-1002	1	TOP PLATE
9	TLN-1003	1	GUN HANDLE
10	O-E-013	1	O-RING
11	O-E-015	1	O-RING
12	TLN-1033	1	3 WAY VALVE
13	5104-22-1	1	FLUSH VALVE NECK
14	TLN-1044	1	EXHAUST RING
	O-E-011	1	O-RING
		-	TRIGGER GUARD
16	TLN-1009	1	
17	TLN-2025	1	TRIGGER
18	5104-20-1	1	MIX HOUSING
19	5104-15-1	1	INJECTOR BODY
20	5104-17-1	1	DISTRIBUTION RING
21	5104-12-1	1	MIX HOUSING SEAL
22	F-CS-1024-06	2	CAP SCREW
23	5107-27-2	1	TURBULENT MIXER
25	TLN-1036	1	PUSH ROD
26	TLN-1028	1	TRIGGER STOP
27	TLN-1031	2	RETAINING RING
28	F-CS-04C-08	1	CAP SCREW
29	F-BHCS-1032-08	1	BUTTON HEAD CAP SCREW
30	TLN-2044	2	SPRING
31	TLN-1037	1	VALVE COVER
32	TLN-2029	2	ROD SEAL ASSEMBLY
33	TLN-2043	2	CERAMIC BALL
34	O-A-007	2	O-RING
35	F-OP-03-12	1	OUICK RELEASE PIN
36	LWG-6527	1	SPRING PLUNGER
37	O-S-015	1	O-RING
38	F-BHCS-832-06	1	BUTTON HEAD CAP SCREW
-	O-E-012	1	O-RING
39 40	F-CS-632-04-SS	2	CAP SCREW
42	07223	1	MALE CONNECTOR
43	VPA-1000	1	AIR ASSIST ASSEMBLY
44	TLN-1120-01	1	TRIGGER ARM
45	MPH-2539	1	MALE ELBOW
46		_	
_	6504-1-0.5	1	1/4" POLY AIR WHIP
_	O-S-013	1	O-RING
	0-5-011	1	O-RING
49	0-5-012	1	O-RING
50	O-B-014	2	O-RING
51	TLN-1041	1	CATALYST PUSH ROD
52	5104-16-1	1	INJECTOR PLUNGER
53	5104-14-1	1	PLUNGER RETAINER

		Part	s List
ITEN	PART NUMBER	QTY	DESCRIPTION
54	9203-2-2	1	INJECTOR SPRING
55	5104-13-1	1	INJECTOR SEAL
56	5104-21-1	1	FLUSH VALVE SPLIT SEAL
57	5104-24-1	1	FLUSH VALVE BODY
58	5104-25-1	1	FLUSH VALVE BUTTON
59	O-E-008	1	O-RING
60	9203-2-3	1	COMPRESSION SPRING
61	5104-23-1	1	FLUSH SEAL BODY
62	5104-26-1	1	FLUSH VALVE SEAL
63	7701-6-3	1	10-32 BARBED FITTING
64	7304-3-1	1	NYLON SEAL
65	7701-2-1	1	HOSE CLAMP - POLY TUBE

*TLN-IG-SK-INT (ASTERISKS DENOTE PARTS IN KIT)

KIT ALSO INCLUDES: 05224

02030-1 O-E-012 O-E-013 0-5-018

(REF. VPA-1000-VFIT BREAKDOWN)

AVAILABLE SEPARATELY

44A TLN-1220-01 TRIGGER ARM - SYMMETRICAL ACTUATION 66 5104-03-01 INJECTOR ASSEMBLY


67 TLN-FV-1000-INT FLUSH VALVE
68 TLN-I-CTR-C CATALYST CARTRIDGE ASSEMBLY
69 TLN-I-CTR-M MATERIAL CARTRIDGE ASSEMBLY

MAGNUM VENUS PLASTECH

TALON INTERNAL MIX GELCOAT GUN W/SIGNAL TLN-IG-100S-INT

REV:E 10/23/2015 SHEET 2 / 2 4/3/2013





TALON INTERNAL MIX GELCOAT GUN W/SIGNAL	TLN-	IG-200S-INT
REV:E 11/03/2015	SHEET 1 / 2	4/3/2013



			s List
ITEM	PART NUMBER	QTY	DESCRIPTION
1	TLN-1001-01	1	GUN BLOCK
2	TLN-1024	1	CATALYST VALVE BODY
3	TLN-1008-01	1	RESIN VALVE BODY
4	TLN-1007	2	BALL GUIDE
5	TLN-2021	2	ROD SEAL HOUSING
6	TLN-1005	1	RESIN FITTING
7	TLN-1006	1	CATALYST FITTING
8	TLN-1002	1	TOP PLATE
9	TLN-1003	1	GUN HANDLE
10	O-E-013	1	O-RING
11	O-E-015	1	O-RING
12	TLN-1033	1	3 WAY VALVE
13	5104-22-1	1	FLUSH VALVE NECK
14	TLN-1044	1	EXHAUST RING
15	O-E-011	1	O-RING
16	TLN-1009	1	TRIGGER GUARD
17	TLN-2025	1	TRIGGER
18	5104-20-1	1	MIX HOUSING
19	5104-15-1	1	INJECTOR BODY
20	5104-17-1	1	DISTRIBUTION RING
21	5104-12-1	1	MIX HOUSING SEAL
22	F-CS-1024-06	2	CAP SCREW
23	5107-27-2	1	TURBULENT MIXER
25	TLN-1036	1	PUSH ROD
26	TLN-1028	1	TRIGGER STOP
27	TLN-1031	2	RETAINING RING
28	F-CS-04C-08	1	CAP SCREW
29	F-BHCS-1032-08	1	BUTTON HEAD CAP SCREW
30	TLN-2044	2	SPRING
31	TLN-1037	1	VALVE COVER
32	TLN-2029	2	ROD SEAL ASSEMBLY
33	TLN-2043	2	CERAMIC BALL
34	O-A-007	2	O-RING
35	F-OP-03-12	1	QUICK RELEASE PIN
36	LWG-6527	1	SPRING PLUNGER
37	O-S-015	1	O-RING
39	0-E-012	1	O-RING
40	F-CS-632-04-SS	2	CAP SCREW
41	VPA-1000-VFIT	1	AIR ASSIST ASSEMBLY
42	07223	1	MALE CONNECTOR
44	TLN-1120-01	1	TRIGGER ARM
45	MPH-2539	1	MALE ELBOW
46	6504-1-0.5	1	
47	O-S-013	_	1/4" POLY AIR WHIP
		1	O-RING
48	0-5-011	-	O-RING
49	O-S-012	1	O-RING
50	O-B-014	2	O-RING
51	TLN-1041 5104-16-1	1	CATALYST PUSH ROD INJECTOR PLUNGER
52			

		Parts	List
ITEM	PART NUMBER	QTY	DESCRIPTION
54	9203-2-2	1	INJECTOR SPRING
55	5104-13-1	1	INJECTOR SEAL
56	5104-21-1	1	FLUSH VALVE SPLIT SEAL
57	5104-24-1	1	FLUSH VALVE BODY
58	5104-25-1	1	FLUSH VALVE BUTTON
59	O-E-008	1	O-RING
60	9203-2-3	1	COMPRESSION SPRING
61	5104-23-1	1	FLUSH SEAL BODY
62	5104-26-1	1	FLUSH VALVE SEAL
63	7701-6-3	1	10-32 BARBED FITTING
64	7304-3-1	1	NYLON SEAL
65	7701-2-1	1	HOSE CLAMP - POLY TUBE

*TLN-IG-SK-INT (ASTERISKS DENOTE PARTS IN KIT)

KIT ALSO INCLUDES: 05224

02030-1 O-E-012 O-E-013 O-S-018

O-S-018 (REF. VPA-1000-VFIT BREAKDOWN)

AVAILABLE SEPARATELY

 44A
 TLN-1220-01
 TRIGGER ARM - SYMMETRICAL ACTUATION

 66
 5104-03-01
 INJECTOR ASSEMBLY

 67
 TLN-FV-1000-INT
 FLUSH VALVE

 68
 TLN-I-CTR-C
 CATALYST CARTRIDGE ASSEMBLY

 69
 TLN-I-CTR-M
 MATERIAL CARTRIDGE ASSEMBLY


MAGNUM VENUS PLASTECH

TALON INTERNAL MIX GELCOAT GUN W/SIGNAL

TLN-IG-200S-INT

REV: E 11/03/2015 SHEET 2 / 2 4/3/2013





TALON INTERNAL MIX WETOUT GUN	TLN-IW-100-INT	
REV:F 11/03/2015	SHEET 1 / 2	5/2/2013



		Parts	104,000
ITEM	S. C. P. S. P. C. L. S. C. L. S. C.	QTY	DESCRIPTION
1	TLN-1001-01	1	GUN BLOCK
2	TLN-1024	1	CATALYST VALVE BODY
3	TLN-1008-01	1	RESIN VALVE BODY
4	TLN-1007	2	BALL GUIDE
5	TLN-2021	2	ROD SEAL HOUSING
6	TLN-1005	1	RESIN FITTING
7	TLN-1006	1	CATALYST FITTING
8	TLN-1002	1	TOP PLATE
9	TLN-1003	1	GUN HANDLE
10	O-E-013	1	O-RING
11	O-E-015	1	O-RING
12	FT-552	1	FLAT TIP
13	5104-22-1	1	FLUSH VALVE NECK
14	O-S-015	1	O-RING
15	O-E-011	1	O-RING
16	TLN-1009	1	TRIGGER GUARD
17	TLN-2025	1	TRIGGER
18	5104-20-1	1	MIX HOUSING
19	5104-15-1	1	INJECTOR BODY
20	5104-17-1	1	DISTRIBUTION RING
21	5104-12-1	1	MIX HOUSING SEAL
22	F-CS-1024-06	2	CAP SCREW
23	5107-27-3	1	TURBULENT MIXER
24	8704-4-1	1	NOZZLE CAP
25	TLN-1036	1	PUSH ROD
26	TLN-1028	1	TRIGGER STOP
27	TLN-1031	2	RETAINING RING
28	F-CS-04C-08	1	CAP SCREW
29	F-BHCS-1032-08	1	BUTTON HEAD CAP SCREW
30	TLN-2044	2	SPRING
31	TLN-1037	1	VALVE COVER
32	TLN-2029	2	ROD SEAL ASSEMBLY
33	TLN-2043	2	CERAMIC BALL
34	O-A-007	2	O-RING
35	F-OP-03-12	1	OUICK RELEASE PIN
36	LWG-6527	1	SPRING PLUNGER
37	PF-AP-02-SS	3	PIPE PLUG
38	F-BHCS-832-06	1	BUTTON HEAD CAP SCREW
39	O-E-012	1	O-RING
40	F-CS-632-04-SS	2	CAP SCREW
41	TLN-1120-01	1	TRIGGER ARM
1,700		-	10.22 (
-	O-S-013	1	O-RING
43	O-S-011	1	O-RING
	O-S-012	1	O-RING
45	TLN-1041	1	CATALYST PUSH ROD
46	5104-16-1	1	INJECTOR PLUNGER
47	5104-14-1	1	PLUNGER RETAINER
48	9203-2-2	1	INJECTOR SPRING
49	5104-13-1	1	INJECTOR SEAL

	Parts List					
ITEM	PART NUMBER	QTY	DESCRIPTION			
50	5104-21-1	1	FLUSH VALVE SPLIT SEAL			
51	5104-24-1	1	FLUSH VALVE BODY			
52	5104-25-1	1	FLUSH VALVE BUTTON			
53	O-E-008	1	O-RING			
54	9203-2-3	1	COMPRESSION SPRING			
55	5104-23-1	1	FLUSH SEAL BODY			
56	5104-26-1	1	FLUSH VALVE SEAL			
57	7701-6-3	1	10-32 BARBED FITTING			
58	7304-3-1	1	NYLON SEAL			
59	7701-2-1	1	HOSE CLAMP - POLY TUBE			

*TLN-IC-SK-INT (ASTERISKS DENOTE PARTS IN KIT)

AVAILABLE SEPARATELY

41A	TLN-1220-01	TRIGGER ARM - SYMMETRICAL ACTUATION
66	5104-03-01	INJECTOR ASSEMBLY
67	TLN-FV-1000-INT	FLUSH VALVE
68	TLN-I-CTR-C	CATALYST CARTRIDGE ASSEMBLY
69	TLN-I-CTR-M	MATERIAL CARTRIDGE ASSEMBLY


MAGNUM VENUS PLASTECH

TALON INTERNAL MIX WETOUT GUN

TLN-IW-100-INT

REV: F 11/03/2015 SHEET 2 / 2 5/2/2013





TALON INTERNAL MIX WETOUT GUN W/SIGNAL	TLN-	IW-100S-INT
DEV: G 11/03/2015	SHEET 1 /2	5/2/2013



		Parts	List
ITEM	PART NUMBER	QTY	DESCRIPTION
1	TLN-1001-01	1	GUN BLOCK
2	TLN-1024	1	CATALYST VALVE BODY
3	TLN-1008-01	1	RESIN VALVE BODY
4	TLN-1007	2	BALL GUIDE
5	TLN-2021	2	ROD SEAL HOUSING
6	TLN-1005	1	RESIN FITTING
7	TLN-1006	1	CATALYST FITTING
8	TLN-1002	1	TOP PLATE
9	TLN-1003	1	GUN HANDLE
10	O-E-013	1	O-RING
11	O-E-015	1	O-RING
12	TLN-1033	1	3 WAY VALVE
13	5104-22-1	1	FLUSH VALVE NECK
14	TLN-1044	1	EXHAUST RING
15	O-E-011	1	O-RING
16	TLN-1009	1	TRIGGER GUARD
17	TLN-2025	1	TRIGGER
18	5104-20-1	1	MIX HOUSING
19	5104-15-1	1	INJECTOR BODY
20	5104-17-1	1	DISTRIBUTION RING
21	5104-17-1	1	MIX HOUSING SEAL
22	F-CS-1024-06	2	CAP SCREW
-	5107-27-3	1	TURBULENT MIXER
_		-	NOZZLE CAP
24	8704-4-1 TLN-1036	1	PUSH ROD
-		-	
26	TLN-1028	1	TRIGGER STOP
27	TLN-1031	2	RETAINING RING
28	F-CS-04C-08	1	CAP SCREW
29	F-BHCS-1032-08	1	BUTTON HEAD CAP SCREW
30	TLN-2044	2	SPRING
31	TLN-1037	1	VALVE COVER
32	TLN-2029	2	ROD SEAL ASSEMBLY
33	TLN-2043	2	CERAMIC BALL
34	O-A-007	2	O-RING
35	F-QP-03-12	1	QUICK RELEASE PIN
36	LWG-6527	1	SPRING PLUNGER
37	PF-AP-02-SS	1	PIPE PLUG
38	F-BHCS-832-06	1	BUTTON HEAD CAP SCREW
-	O-E-012	1	O-RING
40	F-CS-632-04-SS	2	CAP SCREW
41	FT-552	1	FLAT TIP
42	07223	1	MALE CONNECTOR
43	MPH-2539	1	MALE ELBOW
44	TLN-1120-01	1	TRIGGER ARM
45	O-S-015	1	O-RING
46	0-5-013	1	O-RING
47	O-S-011	1	O-RING
48	O-S-012	1	O-RING
49	6504-1-0.5	1	1/4" POLY AIR WHIP
50	O-B-014	2	O-RING
51	TLN-1041	1	CATALYST PUSH ROD
52	5104-16-1	1	INJECTOR PLUNGER
53	5104-14-1	1	PLUNGER RETAINER
54	9203-2-2	1	INJECTOR SPRING
55	5104-13-1	1	INJECTOR SEAL

1		Parts List					
1	ITEM.	PART NUMBER	QTY	DESCRIPTION			
*	56	5104-21-1	1	FLUSH VALVE SPLIT SEAL			
	57	5104-24-1	1	FLUSH VALVE BODY			
1	58	5104-25-1	1	FLUSH VALVE BUTTON			
*	59	O-E-008	1	O-RING			
Ī	60	9203-2-3	1	COMPRESSION SPRING			
1	61	5104-23-1	1	FLUSH SEAL BODY			
*	62	5104-26-1	1	FLUSH VALVE SEAL			
Ī	63	7701-6-3	1	10-32 BARBED FITTING			
*	64	7304-3-1	1	NYLON SEAL			
1	65	7701-2-1	1	HOSE CLAMP - POLY TUBE			

*TLN-IC-SK-INT (ASTERISKS DENOTE PARTS IN KIT)

AVAILABLE SEPARATELY


44A	TLN-1220-01	TRIGGER ARM - SYMMETRICAL ACTUATION
66	5104-03-01	INJECTOR ASSEMBLY
67	TLN-FV-1000-INT	FLUSH VALVE
68	TLN-I-CTR-C	CATALYST CARTRIDGE ASSEMBLY
69	TLN-I-CTR-M	MATERIAL CARTRIDGE ASSEMBLY

MAGNUM VENUS PLASTECH

TALON INTERNAL MIX WETOUT GUN W/SIGNAL TLN-IW-100S-INT

REV:G 11/03/2015 SHEET 2 / 2 5/2/2013





TALON INTERNAL MIX WETOUT GUN	TLN-IW-200-INT	
REV:G 10/05/2017	SHEET 1 / 2	5/2/2013



		Parts	List
ITE	M PART NUMBER	QTY	DESCRIPTION
1	TLN-1001-01	1	GUN BLOCK
2	TLN-1024	1	CATALYST VALVE BODY
3	TLN-1008-01	1	RESIN VALVE BODY
4	TLN-1007	2	BALL GUIDE
5	TLN-2021	2	ROD SEAL HOUSING
6	TLN-1005-F	1	FIT RESIN FITTING
7	TLN-1006	1	CATALYST FITTING
8		1	TOP PLATE
9	TLN-1003	1	GUN HANDLE
10	0 O-E-013	1	O-RING
1		1	O-RING
1		1	O-RING
1		1	FLUSH VALVE NECK
1		1	O-RING
1		1	O-RING
1		1	TRIGGER GUARD
1		1	TRIGGER
1	The second second	1	MIXER ADAPTER
1		1	INJECTOR BODY
20		1	DISTRIBUTION RING
2		1	MIX HOUSING SEAL
2	The second secon	2	CAP SCREW
2		1	STATIC MIXER
2		1	NOZZLE CAP
2		1	PUSH ROD
2		1	TRIGGER STOP
2		2	RETAINING RING
2		1	CAP SCREW
2		1	BUTTON HEAD CAP SCREW
3	The state of the s	2	SPRING
3		1	VALVE COVER
3	TO A CONTRACTOR	2	ROD SEAL ASSEMBLY
3		2	CERAMIC BALL
3		2	O-RING
3	Table Street	1	QUICK RELEASE PIN
3	The second secon	1	SPRING PLUNGER
3		3	PIPE PLUG
3		1	BUTTON HEAD CAP SCREW
30		1	O-RING
4	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2	
4	The state of the s	1	CAP SCREW FIT SPRAY TIP
4			F. C.
4		1	O-RING O-RING
		1	
4	1211 2220 02	1	TRIGGER ARM
4.		1	DIFFUSER
4	5 TLN-1041	1	CATALYST PUSH ROD

		Parts	List
ITEM	PART NUMBER	QTY	DESCRIPTION
47	5104-16-1	1	INJECTOR PLUNGER
48	5104-14-1	1	PLUNGER RETAINER
49	9203-2-2	1	INJECTOR SPRING
50	5104-13-1	1	INJECTOR SEAL
51	5104-21-1	1	FLUSH VALVE SPLIT SEAL
52	5104-24-1	1	FLUSH VALVE BODY
53	5104-25-1	1	FLUSH VALVE BUTTON
54	O-E-008	1	O-RING
55	9203-2-3	1	COMPRESSION SPRING
56	5104-23-1	1	FLUSH SEAL BODY
57	5104-26-1	1	FLUSH VALVE SEAL
58	7701-6-3	1	BARBED FITTING
59	7304-3-1	1	NYLON SEAL
60	7701-2-1	1	HOSE CLAMP - POLY TUBE

*TLN-IC-F-SK-INT (ASTERISKS DENOTE PARTS IN KIT)

AVAILABLE SEPARATELY

44A	TLN-1220-01	TRIGGER ARM - SYMMETRICAL ACTUATION
66	5104-03-01	INJECTOR ASSEMBLY
67	TLN-FV-1000-INT	FLUSH VALVE
68	TLN-I-CTR-C	CATALYST CARTRIDGE ASSEMBLY
69	TLN-I-CTR-M	MATERIAL CARTRIDGE ASSEMBLY


MAGNUM VENUS PLASTECH

TALON INTERNAL MIX WETOUT GUN

REV:G 10/05/2017

SHEET 2 / 2 5/2/2013





TALON INTERNAL MIX WETOUT GUN W/SIGNAL	TLN-IW-200S-INT	
REV:H 10/05/2017	SHEET 1 / 2	5/2/2013



		Parts	List
ITEN	PART NUMBER	QTY	DESCRIPTION
1	TLN-1001-01	1	GUN BLOCK
2	TLN-1024	1	CATALYST VALVE BODY
3	TLN-1008-01	1	RESIN VALVE BODY
4	TLN-1007	2	BALL GUIDE
5	TLN-2021	2	ROD SEAL HOUSING
6	TLN-1005-F	1	FIT RESIN FITTING
7	TLN-1006	1	CATALYST FITTING
8	TLN-1002	1	TOP PLATE
9	TLN-1003	1	GUN HANDLE
10	O-E-013	1	O-RING
11	O-E-015	1	O-RING
12	TLN-1033	1	3 WAY VALVE
13	5104-22-1	1	FLUSH VALVE NECK
14	TLN-1044	1	EXHAUST RING
15	O-E-011	1	O-RING
16	TLN-1009	1	TRIGGER GUARD
17	TLN-2025	1	TRIGGER
18	VPG-1001	1	MIXER ADAPTER
19	5104-15-1	1	INJECTOR BODY
20	5104-17-1	1	DISTRIBUTION RING
21	5104-12-1	1	MIX HOUSING SEAL
22	F-CS-1024-06	2	CAP SCREW
23	VPG-1003	1	STATIC MIXER
24	8704-4-1	1	NOZZLE CAP
25	TLN-1036	1	PUSH ROD
26	TLN-1028	1	TRIGGER STOP
27	TLN-1031	2	RETAINING RING
28	F-CS-04C-08	1	CAP SCREW
29	F-BHCS-1032-08	1	BUTTON HEAD CAP SCREW
30	TLN-2044	2	SPRING
31	TLN-1037	1	VALVE COVER
32	TLN-2029	2	ROD SEAL ASSEMBLY
33	TLN-2043	2	CERAMIC BALL
34	O-A-007	2	O-RING
35	F-QP-03-12	1	QUICK RELEASE PIN
36	LWG-6527	1	SPRING PLUNGER
37	PF-AP-02-SS	1	PIPE PLUG
38	F-BHCS-832-06	1	BUTTON HEAD CAP SCREW
39	O-E-012	1	O-RING
40	F-CS-632-04-SS	2	CAP SCREW
41	VFIT-6025	1	FIT SPRAY TIP
42	07223	1	MALE CONNECTOR
43	MPH-2539	1	MALE ELBOW
44	TLN-1120-01	1	TRIGGER ARM
45	O-S-015	1	O-RING
46	0-5-013	1	O-RING
47	O-S-011	1	O-RING
48	O-S-012	1	O-RING
49	6504-1-0.5	1	1/4" POLY AIR WHIP
50	VPG-1002	1	DIFFUSER
51	O-B-014	2	O-RING

		Parts	List
ITEM	PART NUMBER	QTY	DESCRIPTION
52	TLN-1041	1	CATALYST PUSH ROD
53	5104-16-1	1	INJECTOR PLUNGER
54	5104-14-1	1	PLUNGER RETAINER
55	9203-2-2	1	INJECTOR SPRING
56	5104-13-1	1	INJECTOR SEAL
57	5104-21-1	1	FLUSH VALVE SPLIT SEAL
58	5104-24-1	1	FLUSH VALVE BODY
59	5104-25-1	1	FLUSH VALVE BUTTON
60	O-E-008	1	O-RING
61	9203-2-3	1	COMPRESSION SPRING
62	5104-23-1	1	FLUSH SEAL BODY
63	5104-26-1	1	FLUSH VALVE SEAL
64	7701-6-3	1	BARBED FITTING
65	7304-3-1	1	NYLON SEAL
66	7701-2-1	1	HOSE CLAMP - POLY TUBE

*TLN-IC-F-SK-INT (ASTERISKS DENOTE PARTS IN KIT)

AVAILABLE SEPARATELY


44A TLN-1220-01 TRIGGER ARM - SYMMETRICAL ACTUATION
67 5104-03-01 INJECTOR ASSEMBLY
68 TLN-FV-1000-INT
69 TLN-I-CTR-C CATALYST CARTRIDGE ASSEMBLY
70 TLN-I-CTR-M MATERIAL CARTRIDGE ASSEMBLY

MAGNUM VENUS PLASTECH

TALON INTERNAL MIX WETOUT GUN W/SIGNAL TLN-IW-200S-INT

REV: H 10/05/2017 SHEET 2 / 2 5/2/2013






	ne :	Pa	rts List
ITEM	PART NUMBER	QTY	DESCRIPTION
1	5104-22-1	1	FLUSH VALVE NECK
2	5104-21-1	1	FLUSH VALVE SPLIT SEAL
3	5104-24-1	1	FLUSH VALVE BODY
4	5104-25-1	1	FLUSH VALVE BUTTON
5	O-E-008	1	O-RING
6	9203-2-3	1	COMPRESSION SPRING
7	5104-23-1	1	FLUSH SEAL BODY
8	O-A-007	1	O-RING
9	5104-26-1	1	FLUSH VALVE SEAL
10	7701-6-3	1	10-32 BARBED FITTING
11	7304-3-1	1	NYLON SEAL
12	7701-2-1	1	HOSE CLAMP - POLY TUBE

FLUSH VALVE TLN-FV-1000-INT

REV: SHEET 1 / 1 1/25/2013



TLN-IC-F-SK-INT SEAL KIT - TALON INTERNAL MIX CHOP - FIT






TLN-IC-SK-INT SEAL KIT - TALON INTERNAL MIX CHOP - AIRLESS

2 PCS	0	0-A-007 O-RING 1 PCS (7304-3-1 NYLON SEAL
2 PC	O	0-B-014 0-RING 1 PC 5104-26-1 FLUSH VALVE SEA
1 PC	0	0-E-008 0-RING
1 PC	0	0-E-011 0-RING 1 PC 5104-12-1 MIX HOUSING SEA
1 PC	0	0-E-012 O-RING TOP VIEW 0 2 PCS
1 PC	0	SIDE VIEW TLN-2029 SEAL O-E-013 O-RING
1 PC	0	1 PC 5107-27-3 TURBULENT MIXER
1 PC	0	0-S-011 O-RING
1 PC	0	O-S-012 O-RING
1 PC	0	0-S-013 O-RING
1 PC	O	0-S-015 O-RING
1 PC		5104-13-1 INJECTOR SEAL
1 PC		5104-21-1 SPLIT SEAL






CATALYST CARTRIDGE ASSEMBLY		TLN-I-CTR-C
REV: A 06/17/2014	SHEET 1 / 2	3/6/2014



		P	arts List	
ITEM	PART NUMBER	QTY	DESCRIPTION	
1	TLN-1024	1	CATALYST VALVE BODY	
2	TLN-2021	1	ROD SEAL HOUSING	
3	TLN-1041	1	CATALYST PUSH ROD	
4	TLN-2029	1	ROD SEAL ASSEMBLY	
5	O-A-007	1	O-RING	
6	O-S-015	1	O-RING	
7	O-S-013	1	O-RING	
8	O-S-011	1	O-RING	

CATALYST CARTRIDGE ASSEMBLY		TLN-I-CTR-C
REV: A 06/17/2014	SHEET 2 / 2	3/6/2014






FILLED MATERIAL CARTRIDGE ASSEMBLY		TLN-I-CTR-FM
REV:	SHEET 1 / 2	3/7/2014



		P	arts List	
ITEM	PART NUMBER	QTY	DESCRIPTION	
1	TLN-1008F-01	1	RESIN VALVE BODY	
2	TLN-2021	1	ROD SEAL HOUSING	
3	TLN-1036-TC	1	RESIN PUSH ROD	
4	TLN-2029	1	ROD SEAL ASSEMBLY	
5	O-E-015	1	O-RING	
6	O-E-013	1	O-RING	
7	O-E-011	1	O-RING	

FILLED MATERIAL CARTRIDGE ASSEMBLY		TLN-I-CTR-FM
REV:	SHEET 2 / 2	3/7/2014






MATERIAL CARTRIDGE ASSEMBLY		TLN-I-CTR-M
REV:	SHEET 1 / 2	3/6/2014



		P	arts List	
ITEM	PART NUMBER	QTY	DESCRIPTION	
1	TLN-1008-01	1	RESIN VALVE BODY	
2	TLN-2021	1	ROD SEAL HOUSING	_
3	TLN-1036	1	PUSH ROD	_
4	TLN-2029	1	ROD SEAL ASSEMBLY	
5	O-E-015	1	O-RING	
6	O-E-013	1	O-RING	_
7	O-E-011	1	O-RING	_

MATERIAL CARTRIDGE ASSEMBLY	TLN-I-CTR-M	
REV:	SHEET 2 / 2	3/6/2014





MAGNUM VENUS PRODUCTS

6-BLADE WEDGE ROTOR ASSY - RC1S1	5103-04-01	
	CARACTER STATE OF THE STATE OF	



6-Blade Wedge Rotor Assy - RC1S1 5103-04-01 PARTS LIST

ITEM	PART NO.	QTY	DESCRIPTION
1	5103-30-1	1	ROTOR HUB - 6-BLADE
2	5103-31-1	3	WEDGE INSERT - 6-BLADE
3	7102-13-6	3	SOCKET FLAT HEAD SCREW
4	7102-11-6	2	SOCKET CUT POINT SET SCREW
5	5103-8-1	6	CHOPPER BLADE
6	D5103-04-1	1	6-BLADE WEDGE ROTOR ASSY - RC1S1 DWG


ASSOCIATED PARTS AND ASSEMBLIES

ITEM	PART NO.	QTY	DESCRIPTION
5A	9210-1-100	1	BLADES (PACKAGE OF 100)
5B	5103-8-1000	1	BLADES (PACKAGEOF 1000)

FIGURE 1-1







CORPORATE HEADQUARTERS 2030 Falling Waters Rd, Suite 350, Knoxville, TN 37922 · USA · Tel: (865) 686-5670

> DISTRIBUTION AND PURCHASING 642 Barbrow Ln, Knoxville, TN 37932 · USA · Tel: (865) 684-4416

TECHNOLOGY CENTER AND MANUFACTURING
1862 Ives Ave, Kent, WA 98032 · USA · Tel (253) 854-2660 · Fax (253) 854-1666

E-mail: info@mvpind.com

For a list of international distributors, visit our website at:

www.mvpind.com/mvp-international

